



# Accessories catalog

# Index

ARTICLE	PAGE	ARTICLE	PAGE	ARTICLE	PAGE
Absorbing Roller	94	Line Brush	75	Tennis Balls	80,86
Advertising Benches	88	Line Tapes	60-61	Tennis Court Bench	88-91
Advertising Wind Screens	96-97			Tennis Court Broom	74,75
Air Pump	34-34	Marking Chalk	18	Tennis Court Roller	59,72
Anti-tilt Protection	12	Marking Paint	17	Tennis Fascia Board	96-97
Back Board	48,53	Marking Paint for Grassfields	17	Tennis Net System	68
Badminton	54-55	Marking Plates	36-37	Tennis Nets	62-63
Ball Bag	33	Marking Tapes	60-61	Tennis Posts	66-68
Ball Cabinet	33	Marking Trolley	16-18	Tennis Practice Wall	81-82
Ball Machines	77	Marking Vests	42	Tennisball Cage	78-79
Ball Net	33	Match Pointer	69	Tennisball Collector	77-79
Ball Pump	34-35	Measuring Tapes	19	Tool Holder	76
Ball Snow Fence	25	Medicine Balls	40	Training Aid	36-39
Ball Trolley	33,77,78	Megaphone	92	Training Hurdles	36
Barrier System	26	Motor Roller	59	Tribune Seats	28-29
Barriers	27	Multi Sport Radar	82	Tribunes	30
Base Frame	8				
Basketball Baskets	52	Net Hooks	12	Umpire Chairs	55,56,70,71
Basketball System	48-53				
Beachvolleyball	59	Player Cabin	21-23	Volleyball	56-58
Benches	88-91	Players'Tunnel	31		
Brush-Starmaster	32	Plifix	19	Waste Bin	92
Bucket Seats	28-29			Water Hoses	95
		Radar	82	Water Roller	94
Captain Bandage	42	Referee	44	Wet Maarking Trolley	16
Coordination Ladder	39	Referee's Flag	44	Wind Screen	96-97
Corner Flags	20	Rigid Goal	13		
Corner Poles	20	Rollers	59,72	Youth Soccer Goal	10-11
Court Dimensions	100-102			Youth Soccer Goal	10-11
Court Fencing	26	SAFETY Goal	9-11	Youth Soccer Goal Net	15
		Salom Poles	38		
Drag Nets	73	Scoreboard	69		
Drinking Bottles	41	Seat Shells	8-29		
Drinking Fountain	99	Shin Guards	42		
Drying Sponge	94	Shoe Cleaner	93		
		Showcase	98		
Exercise Goal	9-13	Sight Protection	96-97		
Exercise Mats	40	Single Net Rodsn	65		
		Skipping Rope	39		
Fences	25	Small Court Goals	10		
Football Bag	43	Small Court Tennis	83-87		
Free Kick Wall	38	Soccer Arena	7		
Freestanding Goals	9-13	Soccer Goal	8-9		
Freestanding Soccer Goal	9	Soccer Goal Net	14-15		
		Speedometer			
Garden Bench	89-91	Sport Field Care	32		
Goal Net	14-15	Sports Bag	43		
Goal Wall	24	Spray Nozzels	95		
Goals	8-13	Sprinkler	95		
		Sprinkler Systems	95		
Hand Brush	75	Stopwatch	45		
Hand Rollers	72	Straps			
Handball Goal	46	Streetball System	48-49		
Handball Goal Net	15,47	Streetsoccer	7		
		Substitute Boards	45		
Information Board	98				
		Tactic Boards	45		
Kid's tennis	83-87	Tchoukball	40		
		Team Captain Bandages	42		
		Tennis Ball Machines	77		

# Index

<b>Soccer - Sportarena, Goals, Nets</b>	<b>7 – 15</b>
<b>Soccer - Field Markings</b>	<b>16 – 20</b>
<b>Soccer - Players' Dugouts</b>	<b>21 – 23</b>
<b>Soccer - Fences, Seats, Galleries</b>	<b>24 – 31</b>
<b>Soccer - Treatment Devices, Accessories</b>	<b>32 – 35</b>
<b>Soccer- Training, Players Equipment</b>	<b>36 – 45</b>
<b>Handball - Goals, Nets</b>	<b>46 – 47</b>
<b>Basketball - Systems, Backboards, Baskets</b>	<b>48 – 53</b>
<b>Badminton - Systems, Nets</b>	<b>54 – 55</b>
<b>Volleyball - Systems, Nets</b>	<b>56 – 58</b>
<b>Tennis - Court Accessories</b>	<b>59 – 76</b>
<b>Tennis - Training</b>	<b>77 – 82</b>
<b>Tennis - Kid's Tennis</b>	<b>83 – 87</b>
<b>Sport - Benches</b>	<b>87 – 91</b>
<b>Sport - Accessories</b>	<b>92 – 99</b>
<b>Sport - Court Dimensions</b>	<b>100 – 102</b>



# Sportarena



## Court Royal Arena stationary

This system fulfills the demands of a modern sports facility, which is geared towards a long-term use. In 5 m intervals the support posts, made of aluminium profiles, are set in concrete. Between the posts steel-hulled composite elements are mounted in a vibration-free way. The elements are extremely robust, weather-resistant, impact resistant and concurrently low-noise.



## Court Royal Arena mobil

This sports facility aims at a long-term use. It is based on a free-standing construction, which is easy to assemble and disassemble. This extremely stable construction is perfect for undergrounds like schoolyards, grassfields or tartan surface, which should not be damaged by installation. The complete pitch bordering construction is equivalent to the design of Court Royal stationary and therefore is also extremely robust, weather-resistant, impact resistant and concurrently low-noise.



## Court Royal Arena stationary

Technical details

- support posts, set in concrete in intervals of 5 m, to which composite elements are mounted in sandwich construction ( element dimension: 5 x 1 m x 4 cm )
- stable fully-welded soccer goals made of aluminium oval profiles with big net hoop construction and access door. ( goal dimensions: 5 x 2 m und 3 x 2 m )
- optionally with frontal and lengthwise net construction. Overall height 3m.
- expandable as volleyball and basketball playing field.
- the complete construction is safety tested.

### Court Royal Arena stationary

**No. 208010** 20 x 13 m - 2 goals 3 x 2 m

**Court Royal Arena stationary with safety net at front and long side**

**No. 208011** 20 x 13 m - 2 goals 3 x 2 m

### Court Royal Arena stationary

**No. 208012** 30 x 15 m - 2 goals 3 x 2 m

**Court Royal Arena stationary with safety net at front and long side**

**No. 208013** 30 x 15 m - 2 goals 3 x 2 m

### Court Royal Arena stationary

**No. 208015** 40 x 20 m - 2 goals 5 x 2 m

**Court Royal Arena stationary with safety net at front and long side**

**No. 208016** 40 x 20 m - 2 goals 5 x 2 m

## Court Royal Arena mobile

Technical details

- free-standing support posts with stable lateral extensions of 50 cm are screwed together in intervals of 5 m to which composite elements are mounted in sandwich construction. ( element dimension: 5 x 1 m x 4 cm )
- stable fully-welded soccer goals made of aluminium oval profiles with big net hoop construction and access door. ( goal dimensions: 5 x 2 m und 3 x 2 m )
- optionally with frontal and lengthwise net construction. Overall height 3m.
- the complete construction is safety tested.

### Court Royal Arena mobile

**No. 208007** 20 x 13 m - 2 goals 3 x 2 m

**Court Royal Arena mobile with safety net at front and long side**

**No. 208017** 20 x 13 m - 2 goals 3 x 2 m

### Court Royal Arena mobile

**No. 208008** 30 x 15 m - 2 goals 3 x 2 m

**Court Royal Arena mobile with safety net at front and long side**

**No. 208018** 30 x 15 m - 2 goals 3 x 2 m

### Court Royal Arena mobile

**No. 208009** 40 x 20 m - 2 goals 5 x 2 m

**Court Royal Arena mobile with safety net at front and long side**

**No. 208019** 40 x 20 m - 2 goals 5 x 2 m

# Goals - Nets



## Soccer Goal Court Royal Aluminium with net hoops

The newly developed Soccer Goals Court Royal, made from plain aluminium, oval profile 120 x 100 mm, are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The two goalposts are fully-welded across the corner and are connected by a 6 m long bar with super stable interior profiles. The stable net retaining brackets are screwed to the goalposts as well as to the groove in the bar. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested ( GS-tested ). Complete with ground sleeves, insert depth 400 mm.

The Court Royal Goals don't override the delivery dimension of 6 m. Dimensions: 7,32 x 2,44 m

**No. 200103** aluminium plain

**No. 200104** aluminium white



## Soccer Goal Court Royal with free hanging net

The newly developed Soccer Goals Court Royal, made from plain aluminium, oval profile 120 x 100 mm, are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The two goalposts are fully-welded across the corner and are connected by a 6 m long bar with super stable interior profiles. The stable tension posts, made of 30 mm aluminium tube include ground sleeves and tensioning ropes.

The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). Complete with ground sleeves, insert depth 400 mm. The Court Royal Goals don't override the delivery dimension of 6 m.

Dimensions: 7,32 x 2,44 m

**No. 200203** aluminium plain

**No. 200204** aluminium white



## Soccer Goal Base Frame, Aluminium, Tilttable

Additional device for No. 200103-4 and 200203-4. The tilttable base frame can be used, where lawn care should be made easier. Special protection of the nets. In general it should be used for natural grass courts.

**No. 200701** net depth 1.50 m

**No. 200702** net depth 2.00 m

# Goals - Nets




## Soccer Goal Court Royal, free-standing, fully-welded, in four parts

The newly developed free standing Soccer Goals Court Royal are made of plain aluminium and are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The goal frames and base frames are of 120 x 100 mm oval profiles. The two side elements are fully-welded and are connected by a 6 m long bar with super stable interior profiles. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. According to regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). The Court Royal Goals don't over-ride the delivery dimension of 6 m. Dimensions: 7,32 x 2,44 m

**No. 200810** 1,5 m width

**No. 20082** 2,0 m width



## Soccer Goal SAFETY, free-standing, fully-welded

The SAFETY soccer goal is the perfect goal for soccer fields and artificial pitches. The free-standing goal is fully-welded in one piece. The goal frame is made of a 120 x 100 mm oval profile, the base frame is made of a 75 x 50 mm square profile with a weight tubing made of special profile, which has to be filled with silica sand on site. The welded on transportation wheels allow a simple and easy move of the goals. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested).

Dimensions: 7,32 x 2,44 m

**No. 200832** 2,0 m width



## Soccer Goal free-standing, fully welded

The long-standing, freestanding soccer goals, made of plain aluminium, are fully-welded in one piece and are delivered with goal and base frame of 120 x 100 mm oval profiles. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. In compliance with the regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). Dimensions: 7,32 x 2,44 m

**No. 200831** 1,5 m width

**No. 20083** 2,0 m width

# Goals - Nets




## Youth Soccer Goal Court Royal 3 x 2 m, completely welded, in 4 parts

The newly developed Youth Soccer Goals Court Royal are delivered in four parts. Their stability comply with the fully welded aluminium-goals. The fully welded side frames are joined by 102 mm long round profile bars which are fitted with very sturdy interior profiles to join the parts together. Goalposts and bars are white-powder-coated. The warp-resistant profile is fitted with a particularly deep groove, in which the plastic net-holders are inserted. According to regulations a tilt-resistant ground anchoring for grassy fields is included. Alternatively anti-tilt weights for synthetic fields are available. The goal meets the FIFA and DFB standards and is produced according to DIN EN 748.

Dimensions: 3 x 2 m, Depth at base: 1,25 m

No. 202022



## Handball Goal Court Royal

According to safety standard DIN-EN 749, goal frame 3 x 2 m welded, standard goal depth 1.25 m (optional 1.45 m). Made of especially thick-walled 80 x 80 mm aluminium profile with rounded edges, base pipe for screwing in, very sturdy rear construction base frame made of 75 x 50 mm square aluminium profile with guide groove, net hoop made of 50 x 3 mm round pipe for free net suspension (the net is not pulled over the hoops).

No. 20520



# Goals - Nets




## Youth Soccer Goal Court Royal, fully welded, in four parts

The newly developed free-standing Youth Soccer Goals Court Royal are made of plain aluminium and are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The goal frames and base frames are of 120 x 100 mm oval profiles. The two side elements are fully-welded and are connected with the cross bar by super stable interior profiles. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. According to regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested ( GS-tested ).

Dimensions: 5 x 2m

**No. 202021** 1,5 m width



## Youth Soccer Goal SAFETY, free-standing, fully-welded

The SAFETY soccer goal is the perfect goal for soccer fields and artificial pitches. The free-standing goal is fully-welded in one piece. The goal frame is made of a 120 x 100 mm oval profile, the base frame is made of a 75 x 50 mm square profile with a weight tubing made of special profile, which has to be filled with silica sand on site. The welded on transportation wheels allow a simple and easy move of the goals. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested).

Dimensions: 5 x 2 m

**No. 20203** 1,5 m width



## Youth Soccer Goal, aluminium fully-welded, in one part

The long-standing, freestanding soccer goals, made of plain aluminium, are fully-welded in one piece and are delivered with goal frame of 120 x 100 mm oval profiles and base frame of 75 x 50 mm square profiles. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. In compliance with the regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested) Dimensions: 5 x 2 m

**No. 202041** 1,5 m width

# Goals - Nets



## Net Holder I

For double-groove goals. Made of plastic, UV- and weather resistant. For quick net change.


**No. 20015**



## Net Holder II

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. For quick net change.

**No. 20018**



## Net Holder III

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. With few net changes, theft proof.

**No. 20019**



## Double Net Holder IV

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. With few net changes, theft protected.

**No. 20016**



## Integral Net Fastener

Safe net suspension, no furling or inserting, even distance of the mount points. Particularly stable and regular fit of the net, no sliding out of the net. Particularly attractive design.

**No. 200108** 5% extra charge on the goal price



## Anti-tilt locking

To secure free-standing goals on synthetic fields.

1 set = 2 weights for one soccer goal. The bins are to be filled with grit or quarry sand (not included). Weight (filled) approx. 160 kg.

Please indicate bar size.

**No. 200805**



## Mobile Anti-tilt Locking

Suitable for the use of goals anywhere on artificial pitches. The weight is clamped across the goal's base frame. Welded transport wheel and big handle making it mobile. To be filled with sand. Empty weight 15 kg, filled 50 kg. 2 pieces per goal starting with a radius of 1.50 m. Meets DIN EN 748, safety-tested according to FIFA regulations.

Please indicate type of goal.

**No. 200806**



# Goals - Nets



## Recreation Ground Aluminium Goal

Fully-welded goal posts for small fields, natural aluminum, 80 x 80 mm, including aluminium ball trap. A structure that has particularly proven itself on playgrounds and football areas. Includes floor anchor for grassy areas, other anchoring available.

**No. 20207**



## Rigid Goal Super, Aluminium

Fully welded aluminium oval profile, 3 x 2 m, including aluminium ball trap. Rear ball trap constructed from 4mm Ø tubes with square cross bars for additional strength. Includes anchoring for turf fields, other anchoring available.

**No. 202071**




## Rigid Goal with Basketball Add-On

Fully welded 3 x 2 m free-standing aluminium goal made of sturdy 80 x 80 mm profile, ideal for playgrounds and schools. Rear ball trap construction made of 40 mm Ø tubes. Four drill holes each to fix the ground anchors. Includes basketball kit with aluminium 120 x 90 cm backboard, anodized goal Big Duty and chain net. Includes anchoring for turf fields, other anchoring available.

**No. 202075** Aluminium backboard

**No. 202076** Steel grid board



## MINI Aluminium Training Goal


120 x 80 cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width.

**No. 202081** adjustable

**No. 2020811** fully-welded

**No. 202082** goal net, mesh width 10 cm

**No. 202083** goal net, mesh width 4.5 cm



## MAXI Aluminium Training Goal

180 x 120 cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width.

**No. 202091** adjustable

**No. 2020911** fully-welded

**No. 202092** goal net, mesh width 10 cm

# Goals - Nets



**Dimensions:** 7.50 m wide, 2.50 m high  
80 cm at top, 150 cm at base

## Soccer Goal Net

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

<b>No. 20130</b>	green	●	3 mm
<b>No. 201301</b>	white	○	3 mm
<b>No. 20140</b>	green	●	4 mm
<b>No. 20141</b>	white	○	4 mm



## Soccer Goal Net striped pattern

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.


<b>No. 201411</b>	red/white	● ○	3 mm
<b>No. 201412</b>	blue/white	● ○	3 mm
<b>No. 201413</b>	green/white	● ○	3 mm
<b>No. 201414</b>	black/white	● ○	3 mm
<b>No. 201415</b>	blue/yellow	● ●	3 mm
<b>No. 201416</b>	black/red	● ●	3 mm
<b>No. 201417</b>	black/yellow	● ●	3 mm

**Dimensions:** 7.50 m wide, 2.50 m high  
80 cm at top, 200 cm at base

## Soccer Goal Net

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

<b>No. 20145</b>	green	●	4 mm
<b>No. 20146</b>	white	○	4 mm
<b>No. 20148</b>	black	●	4 mm
<b>No. 20149</b>	red	●	4 mm
<b>No. 20147</b>	blue	●	4 mm



## Soccer Goal Net striped pattern

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

<b>No. 201675</b>	green/white	● ○	4 mm
<b>No. 201674</b>	blue/white	● ○	4 mm
<b>No. 201673</b>	blue/yellow	● ●	4 mm
<b>No. 201672</b>	black/white	● ○	4 mm
<b>No. 201671</b>	black/yellow	● ●	4 mm
<b>No. 201670</b>	black/red	● ●	4 mm
<b>No. 20167</b>	red/white	● ○	4 mm



## Soccer Goal Net chequered pattern

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.

<b>No. 201678</b>	green/white	● ○	3,5 mm
<b>No. 201677</b>	blue/white	● ○	3,5 mm
<b>No. 201676</b>	red/white	● ○	3,5 mm



**Dimensions:** 7.50 m wide, 2.50 m high  
200 cm at top, 200 cm at base

## Soccer Goal Net

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

<b>No. 20160</b>	white	○	4 mm
<b>No. 20161</b>	green	●	4 mm

## Soccer Goal Net

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 6 cm.

<b>No. 20165</b>	white	○	4 mm
<b>No. 20166</b>	green	●	4 mm



## Soccer Goal Net striped pattern

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.

<b>No. 201625</b>	green/white	● ○	4 mm
<b>No. 201624</b>	blue/white	● ○	4 mm
<b>No. 201623</b>	blue/yellow	● ●	4 mm
<b>No. 201622</b>	black/white	● ○	4 mm
<b>No. 201621</b>	black/yellow	● ●	4 mm
<b>No. 201620</b>	black/red	● ●	4 mm
<b>No. 20162</b>	red/white	● ○	4 mm



## Soccer Goal Net chequered pattern

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.

<b>No. 201682</b>	green/white	● ○	3,5 mm
<b>No. 201681</b>	blue/white	● ○	3,5 mm
<b>No. 201683</b>	black/yellow	● ●	3,5 mm
<b>No. 201684</b>	black/red	● ●	3,5 mm
<b>No. 20168</b>	red/white	● ○	3,5 mm



# Goals - Nets



**Dimensions:** 5.15 m wide, 2.05 m high  
100 cm at top, 100 cm at base

## Youth Soccer Goal Arminia

Net made of high-strength polypropylene. Mesh size 12 cm.

**No. 20220** green ● 3 mm

## Youth Soccer Goal Kickers

Net made of high-strength polypropylene. Mesh size 12 cm.

**No. 20223** green ● 4 mm

**No. 20234** white ○ 4 mm

**No. 20237** red ● 4 mm

**No. 20236** yellow ● 4 mm

**No. 20235** blue ● 4 mm


## Youth Soccer Goal striped pattern 100

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

**No. 202332** green/white ● ○ 4 mm

**No. 202331** blue/white ● ○ 4 mm

**No. 20233** red/white ● ○ 4 mm




## Youth Soccer Goal chequered pattern 100

Knotless net made of high-strength polypropylene, Mesh size 12 cm.

**No. 202333** green/white ● ○ 4 mm

**No. 202334** blue/white ● ○ 4 mm

**No. 202335** red/white ● ○ 4 mm



**Dimensions:** 5.15 m wide, 2.05 m high  
80 cm at top, 150 cm at base

## Youth Soccer Goal Borussia

Net made of high-strength polypropylene. Mesh size 12 cm.


**No. 20240** green ● 4 mm

**No. 20241** white ○ 4 mm

**No. 20242** blue ● 4 mm

**No. 20244** red ● 4 mm

**No. 20243** yellow ● 4 mm



## Youth Soccer Goal striped pattern 80

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

**No. 202322** green/white ● ○ 4 mm

**No. 202321** blue/white ● ○ 4 mm

**No. 20232** red/white ● ○ 4 mm


## Youth Soccer Goal chequered pattern 80

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

**No. 202323** green/white ● ○ 4 mm

**No. 202324** blue/white ● ○ 4 mm

**No. 202325** red/white ● ○ 4 mm



**Dimensions:** 3.0 m wide, 2.0 m high  
80 cm at top, 100 cm at base

## Small Field and Handball Goal Net

Sturdy net made of high-strength polypropylene. Mesh size 10 cm.

**No. 20221** green ● 3 mm

## Small Field and Handball Goal Net

Sturdy net made of high-strength polypropylene. Mesh size 10 cm.

**No. 20610** white ○ 4 mm

**No. 20611** green ● 4 mm

**No. 20612** yellow ● 4 mm


## Small Field and Handball Goal Net

Perfect quality net made of high-strength polypropylene. Mesh size 10 cm.

**No. 20613** white ○ 5 mm

**No. 20614** green ● 5 mm

**No. 20615** blue ● 5 mm




## Small Field and Handball Goal Net striped pattern

Net made of high-strength polypropylene. Mesh size 10 cm.

**Nr. 20616** green/white ● ○ 4 mm

**Nr. 20617** blue/white ● ○ 4 mm

**Nr. 20618** red/white ● ○ 4 mm



## Small Field and Handball Goal Net chequered pattern

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

**No. 20619** green/white ● ○ 4 mm

**No. 206195** blue/white ● ○ 4 mm

**No. 206109** red/white ● ○ 4 mm



# Field Markings



## Wet Marking Trolley Standard

Steel frame construction with weatherproof painted finish. Plastic container with approx. 9 liter capacity. Spraying mechanism on the back is operated with a hand lever. Line width adjustable from 50 mm to 120 mm. Three large balloon wheels. Height adjustable handles. Empty weight approx. 12 kg. Size 85 x 52 x 86 cm.

**No. 20286**



## Wet Marking Trolley Universal

Steel frame construction with weatherproof painted finish. Steel container with approx. 10 liter capacity. Spraying mechanism on the front is operated with a hand lever. Line width adjustable from 50 mm to 120 mm. Four large balloon wheels. Height adjustable handles. Empty weight approx. 19 kg. Size 85 x 52 x 86 cm.

**No. 20287**



## Wet Marking Trolley Akku 3000

Wet marking Trolley with a very strong pump, which automatically switches off by closing the spraying lever. The strong battery is operated by an on / off button at the guide rod and enables a very simple marking of at least 6 playing fields. The spraying device is positioned in the front, it is flexible in height and due to the shiftable top it can be adjusted easily over the whole frame width. The line width is adjustable as well. The trolley has got 2 plastic paint containers, each with a capacity of 13l (optionally 19 l). Each paint container has an own stopcock and is easily to remove in case of cleaning or emptying. The trolley has a stable steel pipe construction with weather-resistant powder coating. All components are bright galvanized. The 4 pneumatic tyres, 260 x 85 mm are ball bearing mounted and guarantee a smooth running. The guide rod is adjustable in height.

Weight: ca. 25 kg,  
Dimensions: ca. 800 x 540 x 860 mm

**No. 20284**

## Court Royal Grass Marking Colour

The environmentally friendly marking colour for sports fields.

Highly pigmented marking colour with perfect water-resistance and very fast drying time.

Excellent adhesive properties on grass and hard courts.

Free of solvents and softening agents.

Environmentally friendly as all substances are biologically degradable.

With LGA certification



Consumption for 1 soccer field:

Mixing ratio with water for:

New marking:

1:3 = 5 kg concentrate corresponds to 15 kg

Renewal marking:

1:3 = 3 kg concentrate corresponds to 15 kg

In original packaging storable for at least 24 months.

Very simple cleaning with water only.

Content per canister 15 kg net weight

Court Royal white

No. 202881



**Court Royal**  
www.court-royal.com

**RasenMarkierungsfarbe**

Hochdeckende Markierungsfarbe mit optimaler Wasserbeständigkeit und sehr schneller Trocknung. Erstklassige Haftungseigenschaften auf Rasen und Hartplätzen. Lösungsmittel- und Weichmacher frei, umweltfreundlich, da biologisch abbaubar. Mit LGA Gutachten.

Verbrauch für 1 Fußballfeld:  
Mischungsverhältnis mit Wasser bei  
Neumarkierung 1:3 = 5 kg Konzentrat entspricht 15 kg  
Nachmarkierung 1:5 = 3 kg Konzentrat entspricht 15 kg

Im Originalgebinde mindestens 24 Monate lagerfähig  
Kühl, trocken und frostfrei lagern.

Einfache Reinigung nur mit Wasser

**15 kg netto**  
**Court Royal weiß**  
Art.Nr. 202881



# Field Markings



## Marking Trolley Standard

Capacity approx. 35 liters. Spread width 50 mm. Solid rubber wheels and one guide wheel. Height adjustable handles. Shut down with hand lever.

Empty weight approx. 17 kg.

**No. 20279**



## Markierungswagen UNIVERSAL

Capacity approx. 35 liters. Spread width 50 mm. Solid rubber wheels and two guide wheels. Height adjustable handles. Shut down with hand lever.

Empty weight approx. 17 kg.

**No. 20280**



## Marking Stadion

Capacity approx. 50 liters. Spread width 50 mm and 120 mm. Height adjustable handles. 2 Large balloon wheels 400 x 100 mm and 2 guide wheels 260 x 85 mm.

Empty weight approx. 28 kg.

**No. 20302**



## Marking Trolley Special

Capacity approx. 50 liters. Spread width 50 mm and 120 mm. The adjustable riddle screen allows lines to be drawn in varying widths. Large balloon wheels.

Empty weight approx. 30 kg.

**No. 20285**

## Arcus Chalk for sports fields


The Arcus chalk is suitable for normal marking lines on sports fields. This natural product (pure calcium carbonate) is exceptionally white and offers a high adhesion. Due to the unique and special texture, a problem-free applying of the chalk with any spreading machine is possible.

The chalk is delivered in 25 kg sacks.

**No. 202855**



# Field Markings



## Distance Measure Rollfix-Easy

Sturdy construction with foldaway frame. Measure area 9999.9 m. Overall height 96 cm, wheel diameter 318.5 mm = 1 m circuit.

**No. 10590**



## BMI Steel Tape Measure


Body, galvanized steel with plastic covering. Steel tape 13 mm wide.

**No. 10584** 10 m

**No. 10585** 20 m

**No. 10586** 30 m

**No. 10587** 50 m



## Sand

To fill in between the bristles and for better hold.

## Screw

Drives in easily, holds better in the ground and is quick to remove.



## PliFix Leveling Aid

Season after season the PliFix stays in place and saves you from measuring each year. You need only mark out the measurements for soccer, rugby or field hockey pitches once. PliFix makes light work of repainting the lines. There is no need to walk from one end of the pitch to the other: just stretch a cord between two PliFix screws and then to the next one. Set contains 25 screws.

**No. 20092**

# Field Markings



## Corner Pole 30 with ground sleeve

Made of polyethylene, 30 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, complete with ground sleeve and cover, including red flag.

**No. 20255** white

**No. 20256** neon yellow



## Corner Pole 50 with ground sleeve

Made of polyethylene, 50 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, complete with ground sleeve and cover, including red flag.

**No. 20260** white

**No. 20270** neon yellow



TOP  
SELLER

BEST  
PRICE

## Corner Pole 50 with tilt link

Made of polyethylene, 50 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, including red flag.

**No. 20262** white

**No. 20267** neon yellow



**No. 20170** red / white



**No. 20171** blue / white



**No. 20172** green / white



**No. 20173** black / white



**No. 20175** yellow / black



**No. 20176** yellow / red



**No. 20174** red / black



**No. 20177** yellow



**No. 20178** red



**No. 20179** green

## Flags for Corner Poles

The possible combinations



## Special ground sleeve for corner flags

Aluminum, with coatable cover and vertical compartment to store cover when post is in place.

**No. 20264**



## Corner Pole Set in a carrying bag

Consisting of 4 corner poles Ø 50 mm, with tilt links, flags and ground sleeves.

**No. 20266**

# Players' Dugouts



## Players' Dugout Champion

Frame construction made of very sturdy, fully welded special aluminium profiles. Roof and side walls made of transparent unbreakable massive polycarbonate plates. Bottom and rear made of weather resistant 8 mm strong Coplast plates. Bench, backrest and foot rest made of high-quality wooden slats. Dugout is supplied fully assembled. Very sturdy and stable model. Dimensions H x D x W: 205 x 105 x 300 – 600 cm.

<b>No. 20442</b>	3.0 m wide, 6 seats
<b>No. 20441</b>	4.5 m wide, 9 seats
<b>No. 20443</b>	6.0 m wide, 12 seats



# Players' Dugouts



## Players' Dugout "Liga"

Frame construction made of warp-resistant aluminium profiles, fully welded. Side walls made of transparent polycarbonate, rear wall of matt polycarbonate. Very comfortable individual seats made of plastic. Foot rest made of aluminium. Dugout is supplied fully assembled. Very sturdy and stable model.

Dimensions H x D x W: 200 x 98 x 200 – 500 cm

**No. 20440** 2,0 m wide, 4 seats

**No. 20441** 3,0 m wide, 6 seats

**No. 20442** 4,0 m wide, 8 seats

**No. 20443** 5,0 m wide, 10 seats



# Players' Dugouts



## Players' Dugout Exclusive

Frame construction made of extremely stable aluminium profiles, fully welded. Stylish design. Side and rear walls made of transparent polycarbonate. Comfortable individual seats made of plastic and plate behind the seats. Foot rest made of aluminium. Dugout is supplied fully assembled. Extremely sturdy model. Dimensions H x D x W: 195 x 126 x 200 - 500 cm

<b>No. 20444</b>	2 m wide, 4 seats (for officials)
<b>No. 204440</b>	2.5 m wide, 5 seats
<b>No. 204441</b>	3.0 m wide, 6 seats
<b>No. 204442</b>	4.0 m wide, 8 seats
<b>No. 204443</b>	5.0 m wide, 10 seats

Special lengths with Recaro seats also available upon request.



## Transport Trolley

Simple tripod trolley made of aluminium with swivelling polyamide wheels.

**No. 204446**



# Fences - Seats - Tribunes



## Soccer Target Shooting Wall WM

This freestanding construction can be dismantled into two parts. It is easy to transport and to store. To the stable frame construction of aluminium profiles a rear trailer is screwed on. In the frame construction are two holes each for the stationary mounting to the ground. For firm underground we recommend heavy-duty dowels and for grassy underground drop-in anchors should be used. For mobile use the rear extensions can be weighted with sandbags. The goal wall has the size of the ZDF – goal wall (Aktuelles Sportstudio). The weather-resistant front panel (divided in the middle) of 19 mm PVC rigid foam boards provides enough space for attractive sponsor advertisements.

Dimensions: (L x W x H) 270 x 188 x 127 cm


Hole dimensions: 60 cm

Transportation dimensions: (L x W x H) 135 x 188 x 15 cm

Weight: ca. 60 kg

Delivery without advertisement.

No. 202061



## Transport Box for Soccer Target Shooting Wall

Practical transport box for easy storage and transportation of the target shooting wall. Made of glued multilayer wood with hinges and locks as well as transport rolls and carrying-slits.


No. 0212

## Labelling of the Soccer Target Shooting Wall

Complete labelling of the soccer target shooting wall with a 4-colour digital print including lamination. Please provide printable data file.

No. 212021

# Fences - Seats - Tribunes



## Posts for Protective Screen

Very sturdy aluminium profiles, complete with ground sleeves and PU-net fastener.

<b>No. 20900</b>	80 x 80 mm, 3.00 m above ground
<b>No. 20904</b>	80 x 80 mm, 4.00 m above ground
<b>No. 20902</b>	80 mm Ø, 5.00 m above ground
<b>No. 20903</b>	80 mm Ø, 6.00 m above ground

## Reinforcement Cross Bars for End Post

**No. 20910**

## Screen Nets

For protective screens, made of high-strength green polypropylene.

### Mesh size 45 mm

<b>No. 41600</b>	Ø 2.3 mm
<b>No. 41610</b>	Ø 3 mm
<b>No. 41611</b>	Ø 4 mm

### Mesh size 100 mm

<b>No. 20905</b>	Ø 2.3 mm
<b>No. 20906</b>	Ø 3 mm
<b>No. 20907</b>	Ø 4 mm

## Lead cord

To weigh down the net, directly sewn to the net.

<b>No. 41620</b>	200 g
<b>No. 41621</b>	400 g

## Plastic guide rings

Nylon rings, black, 3 pieces per meter, directly worked into the net.

**No. 41630**

## Steel wire

Made of galvanized steel wire.

<b>No. 41640</b>	4 mm
<b>No. 41641</b>	6 mm

## Tensioning device

Thimbles and turnbuckle on both sides.

<b>No. 41650</b>	for 4 mm steel wire
<b>No. 41651</b>	for 6 mm steel wire



# Fences - Seats - Tribunes



## Barrier System, Anodized Aluminium

Plug and fit connection. Handrail and support post made of high strength/alloy aluminium profiles Ø 60 x 2.5 mm. Connections made of aluminium high-precision moulded parts, matt silver anodized. Delivery includes handrails, support posts, T-connectors, elbows, end pieces and the necessary rivets and drill.

**Distance between the posts 2.50 m**  
**No. 20800**

**Distance between the posts 3.0 m**  
**No. 20810**



## T-connector, aluminum

With bevelled edges


**No. 20821**



## Elbow, aluminum

With bevelled edges

**No. 20820**



## Link chain

Made of steel, red-white

**No. 20801**

## Insertion tube for access


2.5 m and 3.0 m distance between the posts, including handle

**No. 20802**

# Fences - Seats - Tribunes

## Movit - the universal blocking system

The practical, functional, safe, indestructible and light barrier system is made from recyclable polypropylene. It is available in the 6 standard colours: red, white, orange, yellow, green, blue. Other RAL-colours are deliverable on request. Movit is the ideal barrier system. It is fast to put together and it is stable and robust. Due to the low weight it is very easy to transport. In the middle of the barrier part an advertising space or a company logo is possible.



### Fields of application:

- Construction site safety
- Sports events
- Concerts
- Street markets and celebrations
- Major events
- Pavement barriers
- Protection of devices
- Parking space barriers

### Technical data:

- Length: 2 m
- Height: 1 m
- Weight: 12 kg
- Allowed load: 500 kg
- Temperature range: - 22°C to + 55°C
- Colours: red, white, orange, yellow, green, blue

**No. 20700**



### Characteristics:

- Easy to transport
- Fast and safe connection of the modules
- Environmentally-friendly, recyclable
- Height-adjustable
- Robust



# Fences - Seats - Tribunes

## Compact



### Tribune Seat Compact for Self Assembly

Made of moulded, shock-resistant, UV-resistant polypropylene according to DIN 4102B1. Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered ( flame-retarding on request ). Weight: 0.810 kg



Mounting holes from below. After the mounting the seats are sealed repectively on the upper side by a blind plug.



**No. 40962** RAL 9017



**No. 409621** RAL 9016



**No. 409622** RAL 2008



**No. 409623** RAL 60017



**No. 409624** RAL 5015



**No. 409625** RAL 1018





**No. 409626** RAL 3000



**No. 409627** RAL 7001

# Fences - Seats - Tribunes

## Elegance



### Tribune Seats Elegance for Self Assembly

Made of moulded, shock-resistant, UV-resistant polypropylene according to DIN 4102B1. Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered ( flame-retarding on request ).  
Weight: 1.930 kg



**No. 40963** RAL 9017



**No. 409631** RAL 9016



**No. 409632** RAL 2008



**No. 409633** RAL 60017



**No. 409634** RAL 5015



**No. 409635** RAL 1018



**No. 409636** RAL 3000



**No. 409637** RAL 7001

# Fences - Seats - Tribunes



This illustration shows the two types of tribune elements. The seat element with 16 seats on the right side as well as the stairway element with two seats on the left side can be combined in an arbitrary way. The standard version, however, offers the tribune with 50 seats.

## Tribune Court Royal With 50 seats, three-rowed

The new Tribune Court Royal is suitable for all kind of outdoor sports. It is equipped with 50 comfortable three-rowed seats as well as a middle staircase and rails. The construction is of steel profile barrels and heavy weight grates as flooring. All steel parts are galvanized and absolutely weather-resistant. The UV-resistant plastic bucket seats offer sitting comfort and can be delivered in different colours.

The tribune is delivered in four modules, each 2 m wide and with 16 seats and additionally a staircase module, 1,5 m wide and with 2 seats for on-site mounting. The tribune complies with DIN 13200.

This tribune system with its 50 seats can randomly be built in series. Moreover customized designs with the 2 m modules as well as the staircase modules are arbitrarily possible. A solid ground should be provided.



special manufacture



special manufacture



## Tribune Court Royal with 50 seats, three-rowed Technical details

Length:	9,19 m
Depth:	2,13 m
Height:	1,52 m
Seat height:	0,84 m
Capacity:	50 seats
Material tribune:	steel, galvanized
Material seat:	spray-applied propylene, impact-resistant, UV-resistant, according to DIN 4102B1

Available colours: see page 29

No. 40985



# Fences - Seats - Tribunes



## Players' Tunnel, Foldable



Basic frame made of warp-resistant aluminium profiles, covered with a fireproof, flame-retardant, waterproof PVC fabric, easily foldable. Standard color: grey-white. Also available in other colors. The element's length is 105 cm. Minimum length 420 cm.

### No. 25999

When ordering, please state length, width and color.

Element length:	105 cm, not separable
Dimensions:	Width 200 cm, inner height 230 cm
External width/height:	215/250 cm
Weight per element:	approx. 18 kg
Weight of plastic foil:	530 g/m <sup>2</sup>
Length of one folded segment:	approx. 7 – 9 cm
Fire retardance:	Class C.L. 2
Heat resistance:	+ 70° C
Cold resistance:	- 30° C
Longitudinal strength:	approx. 200 DaN/5 cm
Tensile strength:	approx. 30 DaN/5 cm

# Treatment Devices - Accessories



## Brush Starmaster for Synthetic Turf with Sand Infill

This is the ideal maintenance unit for synthetic turf with sand infill. The three-point suspension and the pulling rope are designed for use with a towing vehicle. The weight of approx. 80 kg has been chosen in such a manner that neither weighting nor hydraulic pressure are required. The brush harrow is used to prevent the growth of moss and grass on the turf surface. For careful maintenance of the surface we recommend our nylon towing mat. There is a choice of two models: The sturdy hot-dip galvanized steel frame with 3 rows of strong bristles which enable optimal maintenance. The triangular brush harrow is particularly suitable for uneven surfaces and sand holes. Ideal for filling in with sand maintenance of all synthetic turf surfaces with sand or rubber granulate infill.

**Brush-Starmaster 1** 250 x 80 cm, rectangular shape  
No. 28000 for sand and granulate surfaces

**Brush-Starmaster 2** 250 x 80 cm, triangular shape  
No. 28002 for sand and granulate surfaces

**Replacement Brushes** 125 cm long  
No. 28007 for sand and granulate surfaces

## Three-Point Suspension

For motorized towing vehicles, suitable for nearly all models.

No. 28005



# Treatment Devices - Accessories



## Ballbag Court Royal

Ballnet for 10 balls, close meshed ballnet with tightening cord.

**No. 20740**



## Ballbag Court Royal for 12 balls

Stable ballbag of polyester with lateral ventilation nets and adjustable shoulder straps.

**No. 20742**



## Ballbag Court Royal

Ballbag for 10 balls of close meshed net with 2 big handles and zip.

**No. 20741**



## Ball and Equipment Cabinet

Robust, stable and torsion-free design made of steel mats ST 37, galvanized, blue passivated, with 3 gridded shelves at a height of 160 cm and 4 gridded shelves at a height of 180 cm. Movable base frame with 4 castors and 2 lockable wing doors.

**No. 20428** H x W x D (mm) 1600 x 1200 x 600

**No. 204281** H x W x D (mm) 1600 x 1200 x 600

## Ball Trolley, galvanized

Wire ball trolley with lockable cover. Size ca. 800 x 600 x 750 mm for ca. 60 mixed balls. Easy transport due to pulleys.

**No. 20431**



# Treatment Devices - Accessories

## Ball Pump Double-Action

Strong two-direction pump. Pumps in both directions with pressure.  
A practical light pump, fully plastic, complete with metal needles.

**No. 20501**



## Ball Pump with hose

Two direction pump with flexible hose of nylon  
(diameter of 15 m), including metal needles.


**No. 20493**



## Ball Pump Club

Big plastic ball pump with wooden handle including metal needles.

**No. 20496**



## Ballfilling-pistol with pressure gauge

For compressor MK 40 with a pressure gauge up to 10 bar and a 1.20 m long hose.

**No. 204961**



## Ball Needle set of three

**No. 20503**

## Ball Nipple

**No. 205031**

# Treatment Devices - Accessories



## Electric Ball Pump US 20

Oil-free membrane-compressor with integrated pressure gauge. Plastic case with handle. Suction capacity ca. 60l/min. Pressure ca. 5 bar. Connected value 0,2 kw, 220 V/50 Hz. Weight ca 1,6 kg, German TÜV approved. Dimensions: ca. 170 x 110 x 150 mm. With a 1.0 m spiral hose with motor vehicle valve connector. 1 ball-valve and 1 ball hollow needle. CE-tested. The filling for a football takes 25 seconds.

**No. 20505**



## Electric Ball Pump MK 40

Robust membrane-compressor with low speed, ca. 1700 U/min. Case of aluminium, pressure casting with handle. Suction capacity ca. 70 l/ min., pressure ca. 3,5 bar, connected value 0,25 kw, 230 V/50 Hz. Weight: ca. 6 kg. German TÜV-approved. Dimensions: ca. 220 x 140 x 230 mm. The device is completely maintenance-free. Delivery with a ca. 1.20 m long air hose and 2 ball valves. The filling-time for a football is ca. 25 seconds.

**No. 20506**



## Electric Ball Pump MK 50

Oil-free membrane-compressor with low speed, ca. 2800 U/min. Case of aluminium, pressure casting with handle. Suction capacity ca. 100 l/ min., pressure ca. 8 bar, connected value 0,2 kw, 230 V/50 Hz. Weight: ca. 5 kg. German TÜV-approved. Dimensions: ca. 300 x 170 x 230 mm. The device is completely maintenance-free with 2 years guarantee. Delivery with a ca. 1.20 m long air hose, valve holder and 2 ball valves. The filling-time for a football is ca. 20 seconds. Optional accessories: Ball-filling pistol, spiral hose.

**No. 20507**

# Training - Players Equipment



## Marking Markers

Ideal for marking in training. Soft hemisphere with 20 cm Ø in 4 different colors, height 9 cm, 40 pieces stacked on a carrier pole.

**No. 20351**



## Hurdles Set

6 Hurdles, adjustable in height to 20 cm and 33 cm. Width 44 cm, complete with bag.

**No. 21560**



## Pop Up Goal Set

For tactics practices, quick and easy to put up, including bag.

**Nr. 34004**

# Training - Players Equipment



## Marking Plates

Made of soft PVC, diameter 19 cm, height, 50 plates in 5 different colors, per color 10 pieces

**No. 20454**

Packaging unit 50 plates



## 1) Marking Cone 40

Plastic, 40 cm high, for multiple use.

**No. 20392** red, **No. 20393** yellow, **No. 20395** green, **No. 20396** blue

## 2) Marking Cone 28

Plastic, 28 cm high

**No. 20373** red, **No. 20374** yellow, **No. 20375** green, **No. 20376** blue

## 3) Marking Cone 50

Heavy elastic plastic material, neon red with white stripes. 50 cm high.

**No. 20390**

## 4) Marking Cone 24


Red plastic, 24 cm high.

**No. 20377**

## Digit Sticker

Black one-or two-digit numbers on white background. 10 cm high.

**No. 20388**



## Training Aid

The exercise/training aid for all types of sports is a complete training system with countless potential applications; from tennis, football, track and field, handball, basketball right through to motor sports. There are no limits to the imagination of trainers and athletes. The exercise aid can be used for school sports, basic training, right through to professional sports. Base can be filled with sand or other dry materials. Poles are made of high-grade elastic plastic. They can be inserted into the base or used as crossbars. The newly developed plastic clip can be set to any position. The poles can be positioned loosely or clipped onto other poles.

Complete set consists of:

2 bases, 3 poles 160 cm long, 2 solid plastic clips

**No. 20315** 1 set

**No. 20316** 5 sets


## Foot Plastic half bowls

**No. 20317**

## Plastic Pole 160 cm long

**No. 20318**


# Training - Players Equipment



## Free kick wall

Consisting of 5 easy-to-dismantle, high-quality plastic dummies (with steel tips). With the flexible design of the supports (similar to a ski slalom system) the dummies lean backwards when hit by the ball. Five figures in various sizes.

**No. 20450**



## Trolley for free kick wall

Light metal frame with wheels and folding handle. The figures are simply inserted and can therefore be transported easily and quickly. Also ideal for use on hard pitches.

**No. 20451**



## Mini-Training Goal Flex

Foldable plastic goal with steel point. Size: 150 x 110 cm, including net.

**No. 20455**



## Training Bow plastic

Flexible plastic material with steel points for training goal shooting and passing.

**No. 20456**



## Slalom Poles

Poles are made of high-grade elastic plastic with a height of 160 cm. Available in the colors yellow and red, with a metal top of 10 cm. Ideal for careering and as marking.

**No. 20320** red

**No. 20321** yellow

## Slalom Pole Set

Consists of 5 red and 5 yellow poles including a practical bag.

**No. 20325**



# Training - Players Equipment



## Topcombat Set 1

Set contains: 3 x 6" hurdles • 3 x 9" hurdles • 2 coordination ladders • 1 large reaction ball • 1 small reaction ball • speed belt • pro leg toner • 2 kg medicine ball • 4 corner markers.

**No. 43005**



## Topcombat Set 2

Set contains: 2 x 4 m coordination ladders • 2 x 6" hurdles • 2 x 9" hurdles • 2 x 12" hurdles • parachute • 1 speed belt • 1 speed resistor • 1 reaction ball • 10 marker disks.

**No. 43007**



## Condition Training Package

This package contains practical aids for enhancing condition and reaction-training. Consists of: 1 coordination ladder, 8 m • 2 jump ropes, 3 m, orange • 2 jump ropes, 3m, yellow • 12 marking disks • 2 medicine balls - 2 kg • 2 fun ball, hard • 2 fun balls, soft.


**No. 42050**



## Jump Rope

Colored plastic rope with sturdy handle.


<b>No. 565</b>	red	230 cm
<b>No. 567</b>	yellow	240 cm
<b>No. 568</b>	green	250 cm
<b>No. 569</b>	blue	260 cm



## Soccer Goal Post with Target Shooting Wall

This soccer goal for home and garden use consists of a sturdy, free-standing metalframe. The powder-coated 32 mm steel profiles are weatherproof and easy to assemble using quick-release fasteners. The set contains a weather-resistant nylon goal net, and nylon shooting wall with 2 reinforced holes, and suitable transport packaging. Size: 213 x 152 x 76 cm, profile diameter 32 mm x 0.8 mm, weight 11 kg.

**No. 202064**



## Coordination Ladder

Very good coordination and fitness training, due to flat strips fixed to a fabric band making injury almost impossible, suitable for many surfaces, robust quality. Dimensions: 800 cm long, 50 cm wide, 45 cm distance between strips, complete with bag.

**No. 42045**

# Training - Players Equipment



## Medicine Balls

Made of rubber with non-slip surface and needle valve.

<b>No. 22023</b>	1000 g
<b>No. 22025</b>	2000 g
<b>No. 22026</b>	3000 g
<b>No. 22027</b>	4000 g
<b>No. 22028</b>	5000 g

## Gymnastic Mat Bella Fit

Folding mat, made of high expansion foam for gymnastic exercises.  
Dimension: 185 x 60 x 1 cm.

**No. 70542**



## Weight Stack with Shoulder Belts

Made of steel with shoulder belts and tension band.  
Weight ca. 5 kg. Can also be fitted with weight plates.

**No. 21500**



## Tschoukball Practice Wall

The ideal training device for the goalkeeper. Stable and painted steel construction with a robust net, foldable. Size: 100 x 100 cm

**No. 21520**

# Training - Players Equipment



## Bimbi 3 m Small Court Tennis Net

Its practical connection system makes it quick and easy to assemble. Just slip the net over the two posts. 5 different net tension levels. Supplied with storage bag. Size: 3 x 0.85 m

**No. 40500**

## Bimbi Replacement Net 3 m

**No. 40501**



## Drink Bottle Court Royal

Drink bottle for not carbonated beverage, content 0,75 ltr.

**No. 28503** gelb

**No. 28502** schwarz



## Bottle Cage Court Royal

Foldable bottle cage for 10 Court Royal drink bottles (0,75 ltr.).

**No. 28505**



## Number Straps for Drink Bottles

Straps for marking the bottles. Each player has its own number. Numbers 1-16

**No. 28504**

## Bottle Cage Set Court Royal

Foldable bottle cage with 10 Court Royal drink bottles (0,75 ltr.).

**No. 28506**

# Training - Players Equipment



## Training Vest Derbystar Senior

Material 100% polyester, in two colours

**No. 2601** orange

**No. 2602** green



## Marker Vest Court Royal Junior

Made of breathable synthetic fiber material for children up to 12 years.

**No. 26012** yellow

**No. 26013** green

**No. 26014** orange

## Marker Vest Court Royal Senior

Made of breathable synthetic fiber material for adults.

**No. 20621** yellow

**No. 20623** green

**No. 20624** orange



## CAPTAIN bandage

Made of flexible rubber fabric.

**No. 2803** Junior

**No. 2804** Senior



## Team Captain Armband C

Made of flexible rubber fabric.

**No. 2801** Junior

**No. 2802** Senior



## Shin Guards Senior

Classic shin guard with knuckle protection. Pole construction bandage with very good impact protection, with integrated EVA-knuckle shell.

**No. 2709**



## Shin Guards Junior

KClassic shin guard with knuckle protection. Pole construction bandage with very good impact protection, with integrated EVA-knuckle shell.

**No. 2708**

# Training - Players Equipmentg



## Sports Bag Court Royal

Practical sports bag with extra strong bottom compartment for 3 pairs of shoes. Separate wet compartment with zip and compartment for valuable items. Adjustable belts and strong handles.

L 56 x B 35 x H 35 cm

**No. 2024** black

**No. 2021** red

**No. 2022** blue

**No. 2025** yellow

**No. 2023** green



## Team Trolley Bag

Practical sports bag for team wear with extra strong bottom compartment. Adjustable belts and strong handles. 2 easy running wheels for pulling. Material: 600-D-Polyester.

Dimension in mm: L x B x H, 800 x 300 x 340

**No. 2040**

# Training - Players Equipment



## Linesman Flag Deluxe

Flag in high-quality polyacrilic fabric, 40 x 50 cm. Sturdy rod with handy grip.

**No. 20276** yellow

**No. 202741** red

**No. 202762** white



## Linesman Flag Set

One red and one yellow flag with plastic holder and soft handles.

**No. 20277**



## Linesman Flag Set

2 yellow/red checkered flags with plastic holder and soft handles as well as a bag.

**No. 20274**



## Referee Set

Consisting of a red and yellow card in an etui as well as playing note cards and a pencil.

**No. 8020**



## Referee Bag

Consisting of a red and yellow card as well as playing note cards, a pencil with sharpener and rubber, a pen and a whistle cord.

**No. 8023**



## Referee Whistle with Finger Holder

Practical referee whistle of plastic with a two-finger grip.

**No. 8035**



## Referee Whistle Metal with Cord

Classical whistle with shrill tone.

**No. 8038**

# Training - Players Equipment



## Hanhart Crown Stopper

1/10 sec. exactly, 15 min. display time, shock-resistant, dust and water-resistant. Weight: 129 g  
No. 1055



## Hanhart Stopstar

LCD-display seven digit, digit height 7 mm, 9 h 59 min display time. Dual measurement. Weight: 70 g  
No. 10568



## Hanhart Stratos 2

LCD-display seven digit, digit height 6,5mm, 9 h 59 min. display time. Weight: 62 g  
No. 10565



## Substitute Board simple

Display for the substituting of players 30 x 40 cm digit height, double-sided neon-red for 'out' and neon-yellow for 'in'. The numbers are produced by foldable colour tabs.  
No. 31099




## Substitute Board double

Display for the substituting of players 30 x 80 cm digit height, double-sided neon-red for 'out' and neon-yellow for 'in'. The numbers are produced by foldable colour tabs.  
No. 31100




## Tactic Folder Soccer

Magnet-adhering board ca.38 x 26 cm, including magnets, with a wiped dry felt-tip pen and a notepad.  
No. 21080



## Tactic Board PVC Soccer

PVC board ca.30 x 45 cm with a full and a half-length field with a wiped dry felt-tip pen and practical retaining clips.  
No. 21097



## Tactic Coachboard small

Training board white ca.30 x 45 cm with magnets, wiped dry felt-tip pen and a dry cleaner as well as adjustable suspension eyes.  
No. 21098

## Taktik Coachboard big

Training board white ca.60 x 90 cm with magnets, wiped dry felt-tip pen and a dry cleaner as well as adjustable suspension eyes.  
No. 21099



# Goals - Nets



## Handball Goal Court Royal

According to safety standard DIN-EN 749, goal frame 3 x 2 m welded, standard goal depth 1.25 m or 1.45 m. Made of special thick-walled 80 x 80 mm aluminium profile with rounded edges, base pipe for screwing in, very sturdy rear construction base frame made of 75 x 50 mm square aluminium profile with guide groove, net hoop made of 50 x 3 mm round pipe for free net suspension (the net is not pulled over the hoops).  
**No. 20520**

## Foldable Net Hooks

**No. 20520**

black plastic markings

## Fully Welded Net Hooks

**No. 20500**

red plastic markings

**No. 20540**

black plastic markings



# Goals - Nets



## Integral Net Fastener

Safe net suspension, no furling or inserting, even distance of the mount points. Particularly stable and regular fit of the net, no sliding out of the net. Particularly attractive design.

**No. 200108** 5% extra charge on the goal price



## Net Holder II

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. For quick net change.

**No. 20018**



①



②



## 1) Ground Anchor for Hall Floors


Consisting of 2 inlet panels with threads and 2 hand wheels. One set for one goal.

**No. 205801**

## 2) Ground Anchor for Outdoor Fields

Consisting of two aluminium sleeves with threads to be set in concrete and 2 hand wheels. One set for one goal.

**No. 20580**



**Dimensions:** 3.0 m wide, 2.0 m high  
80 cm at top, 100 cm at base  
Mesh size 10 cm

## Small Field and Handball Goal Net

Sturdy net made of high-strength polypropylene, 3 mm. Mesh size 10 cm.

**No. 20221** green

## Small Field and Handball Goal Net

Sturdy net made of high-strength polypropylene, 4 mm. Mesh size 10 cm.

**No. 20610** white

**No. 20611** green

**No. 20612** yellow

## Small Field and Handball Goal Net

Perfect quality net made of high-strength polypropylene, 5 mm. Mesh size 10 cm.

**No. 20613** white

**No. 20614** green

**No. 20615** blue

# Systems - Backboards - Baskets



## Streetball Set Street

Weather-resistant plastic backboard 112 x 73 cm. Complete with basket and net.  
No. 310208



## Wall Mount

Wall fastening with approx. 30 cm or 60 cm extension.  
No. 300682 DIN drill holes 7.5 x 6.5 mm, 30 cm extension  
No. 300683 DIN drill holes 11 x 9 mm, 60 cm extension



## Bronx Streetball Set

Weather-resistant, recyclable plastic backboard 112 x 73 cm, basket and net and wall mounting facility on back with projection of 22 cm. Extension 30 cm.  
No. 31010




## Harlem Streetball Set

Weather-resistant plastic backboard 120 x 90 cm, goal with DIN drill holes and net. Wall attachment with 30 cm extension.  
No. 310103



## Basketball goal Hobby red

Solid design, red powder-coated. 45 cm ring. Complete with net. Drill holes 7.5 x 6.5 cm.  
No. 300203



## Basketball set Hobby

Hobby basketball goal red powder-coated 45 cm with net and trademark basketball size 7. Drill holes 7.5 x 6.5  
No. 300501

# Systems - Backboards - Baskets



## Streetball Unit New York

Powder-coated steel post Ø approx. 95 mm to be set into concrete. Board 112 x 73 cm, basket Ø 45 cm and net. Height adjustable from 2.00 to 3.05 m. Extension 60 cm

**No. 31020**



## Streetball Unit Atlanta

Free-standing, robust mobile system made from powder-coated steel tubing approx. 95 mm Ø. The base can be filled with sand (approx. 190 kg). Weather-resistant, recyclable plastic backboard 112 x 73 cm complete with solid steel basket 45 cm Ø and nylon net. Basket height 3.05 m.

**No. 310201**



## Streetball Unit Dallas foldable

The advantage of this unit is easy transport and storage. Board 112 x 73 cm. The recyclable board is directly fixed to the foldable mast by 2 clamps together with the solid steel basket. The basket is powder-coated, 45 cm Ø. Height 3.05 m. The unit must be secured with 100 kg minimum when playing.

**No. 310204**



## Streetball Unit Chicago

Free-standing, mobile, sturdy top system made of powder-coated steel pipe approx. 95 mm. The base can be filled with sand (approx. 190 kg). The basket can be fixed in any height from 3.05 m (competition) to 2.10 m (kids). Weatherproof, recyclable plastic board 112 x 73 cm, including solid basket 45 cm, nylon net and extension.


**No. 310202**



## Streetball Unit Los Angeles

Free-standing, robust mobile system made from powder-coated steel tubing. The base can be filled with sand (approx. 190 kg). The height of the basket can be automatically adjusted using a lever from 3.05 m (competition) to 2.10 m (kids). Weather-resistant, recyclable plastic backboard 112 x 73 cm, complete with solid steel basket 45 cm Ø, nylon net and arm.

**No. 310203**



## Streetball Unit St. Louis

Free-standing, mobile, sturdy top system made of powder-coated steel tubing approx. 95 mm. The base can be filled with sand (approx. 190 kg). Weatherproof, recyclable plastic backboard 112 x 73 cm, including solid steel basket 45 cm Ø, nylon net and arm. The basket height is adjustable to 3.05 m, 2.75 m and 2.45 m.

**No. 310205**

# Systems - Backboards - Baskets



## Basketball System Court Royal with GFK Backboard round

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. GFK board in rounded shape 120 x 90 cm with an orange-coloured DIN-basket and a 6 mm nylon net, including ground sleeves.

**No. 30026** extension 120 cm

**No. 300220** extension 165 cm



## Basketball System Court Royal with Aluminium Board 120 x 90 cm

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. A massive 8 mm strong aluminium board, angular form 120 x 90 cm with Big Duty basket and a chain net which is attached at 12 points, including ground sleeves.

**No. 30022** extension 120 cm

**No. 300264** extension 165 cm



## Basketball System Court Royal with Aluminium Backboard round

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. Massive 8 mm strong aluminium board in rounded shape 120 x 90 cm with an orange-coloured DIN-basket and a 6 mm nylon net, including ground sleeves.

**No. 300265** extension 120 cm

**No. 300221** extension 165 cm



## Basketball Unit, Movable, Aluminium

Stable double post construction, entirely made of square aluminum profiles, partially welded. Stable flexible transport rollers. The case for the counterweights is located low, thus ensuring stability and preventing the system from overturning. For transportation reasons the weights (minimum 200 kg) are not included. The 120 x 180 cm backboard is made of weather-resistant GRP. Plastic coated steel basket and 6 mm nylon net. Delivery includes boards, goal and net.

**No. 30151** extension 165 cm

# Systems - Backboards - Baskets



## Streetball Unit Court Royal with Grid Backbord

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Grid backboard 120 x 90 cm, including super-stable basket ring with chain net, galvanized, including ground sleeve.

**No. 300262** extension 120 cm

**No. 300222** extension 165 cm



## Streetball Unit Court Royal Heavy Duty with Aluminium Backbord

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Including target backboard made from 8 mm solid aluminium 120 x 90 cm, painted white. Including super-stable basket ring with chain net, galvanized, including ground sleeve.

**No. 300232** extension 120 cm



## Streetball Unit Court Royal Heavy Duty with Grid Backbord

All-metal competition streetball system made of galvanized steel pipe 114 x 4.5 mm. Steel grid board, extra low-noise, hot-dip galvanized, 120 x 90 cm. Powder-coated with flat iron enhancement for fixing. DIN drill-holes, with chain net.

**No. 300230**



## Big Duty Basketball System

Steel tube single-pole frame made from square profile 15 x 15 cm, hot-dip galvanized, projection 165 cm, fully welded. Including target backboard made from 8 mm solid aluminium 120 x 90 cm, painted white. Including super-stable basket ring with chain net, galvanized. Basket is screwed directly to frame and therefore prevents target backboard from being damaged if subjected to extreme stress. The system is extremely stable, weather-resistant, maintenance-free and vandalism-proof, therefore ideal for use on public playgrounds and sports facilities, galvanized.

**No. 30027** with Alu backboard 120 x 90 cm



**No. 30038** with Alu backboard round 120 x 90 cm

# Systems - Backboards - Baskets



## Basketball Basket Hobby-Flex

Solid retractable design, red powder-coated. 45 cm ring. Complete with net. DIN drill holes 7.5 x 6.5 cm.  
**No. 300215**



## Basketball Basket Hobby

Solid design, red powder-coated. 45 cm ring. Complete with net. DIN drill holes 7.5 x 6.5 cm.  
**No. 300203**

## Basketball Basket Junior

Solid design, red powder-coated. 35 cm ring. Complete with 8 loop net. 2 hole pattern.  
**No. 300213**



## Basketball Basket DIN red

According to international standard. Red powder-coated, complete with back plate with DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 300229**



## Basketball Basket DIN - reinforced

Same as 30220, but with reinforced ring and bar, red powder-coated, complete with back plate. According to international standard with DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 30224**

## Basketball Basket Big Duty

Indestructible basketball basket made of hot-dip galvanized steel pipe 27 mm diameter with flat iron enhancement. With DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 30228**



## Basketball Tuck-In Flap

Allows quick removal of DIN goal No. 30220.  
**No. 302210**



## Basketball Basket Flex 30

Simple retractable goal with self-contained cage. Red powder-coated with DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 31040**



## Basketball Basket Flex 70


Competition goal according to international standard. Double-spring retracting mechanism in self-contained safety cage. Resists loads of up to 70 kg on the ring. Red powder-coated with DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 30227**



## Basketball Basket Ultra Flex 80

DIN competition goal according to international standard. Net attachment by self-contained safety cage with inlying wire. No hooks. Resists loads of up to 80 kg on the ring. Red powder-coated with DIN drill holes 11 x 9 cm. EN 1270. Without net.  
**No. 300228**

# Systems - Backboards - Baskets




## Streetball Backboard I

In sandwich construction. Weatherproof, vibration-resistant FRP board without drilling.

**No. 30212**

120 x 90 cm



## Basketball Backboard 120 x 90 cm Aluminium


Solid aluminium backboard made of sturdy aluminium sheet, with DIN drill holes 11 x 9 cm, white powder-coated.

**No. 30216**

## Basketball Backboard 120 x 90 cm Aluminium, round

Solid aluminum backboard made of sturdy aluminium sheet, with DIN drill holes 11 x 9 cm, white powder-coated.


**No. 30219**



## Streetball Grid Board

Made of hot-dip galvanized steel, 120 x 90 cm, extra low-noise. Top quality with DIN drill holes 11 x 9 cm.

**No. 300112**



## Basketball Backboard

Made of FRP, sandwich construction, smooth on both sides, vibration-resistant, without drilling.

**No. 30200**

120 x 180 cm

**No. 30201**

105 x 180 cm

**No. 30210**

120 x 90 cm



### 1) Basketball Net France

Color: blue/white/red. 4 mm nylon.

**No. 30231**

### 2) Basketball Net Germany

Color: black/red/gold. 4 mm nylon.

**No. 302311**

### 3) Basketball Net Ultra

Color: white, nylon cord 6 mm.

**No. 30230**

### 4) Basketball Net steel 12-spot

Galvanized steel chain net.

**No. 30233**

### 5) Basketball Net steel 8-spot

Galvanized steel chain net. Only for Big Duty basket.

**No. 30234**

# Systems - Nets




## Universal Sport Posts Free-Standing

Can be used both outdoors and indoors. The multi-game system that has been developed by Universal Sport is suitable for games involving nets and lines. The easily legible scale with game markings enables easy height adjustments, even if the net has already been erected. The system consists of two base frames, each weighing 60 kg, and 12 plastic-coated cast iron weights, each weighing 10 kg. The total weight per stand is therefore 120 kg. The rubber wheels with mounted ball-bearings make it easy to transport the system and the weights. In order to make the system easier to transport on uneven surfaces the cast iron weights can be removed, which reduces the weight by 60 kg and allows you to access any playing field. This makes any additional transport equipment unnecessary.

The rear side of the system is equipped with protective rubber pads. The plastic-coated 50 x 50 steel columns can be adjusted from 1.55 m to 2.45 m and are equipped with a safety lock. The scope of delivery includes an all-purpose net (length 6.10 m). The following games can be played: Tennis - Mini tennis - Fistball - Volleyball - Beach volleyball - Foot tennis - Indica - High jump with Zacharias bar. The system has been designed in compliance with the GBF guidelines and is therefore suitable for badminton tournaments.


**No. 32001**



## Badminton Post Hobby

Movable free-standing system with rubber wheels on the weighted base. Posts made of 40 x 40 mm steel pipe. Complete with hooks and tensioning belt, painted blue. Weight per post approx. 25 kg, radius 60 cm

**No. 30803**



## Badminton Post I

For competitions and school sports. Post made of 50 x 50 mm aluminium profiles. Complete with hooks, tensioning belt and ground sleeves.

**No. 30802**



## Badminton Post II

For competitions and school sports. Posts made of ø 83 mm aluminium special profile. Complete with hooks, tensioning belt and ground sleeves.

**No. 30802**

# Systems - Nets



## Badminton Umpire Chair

Elegant aluminium badminton umpire chair with European Seal of Approval DIN EN 131. Very robust because of the stable ladder and the projecting supports with four base plates. The seat mount has an extra crossbar behind the UV-resistant body-contoured seat. Including writing-board.

**No. 30888**



## Badminton Net Training

Made of 1 mm nylon cord, with tensioning cord. Size 6.10 m wide, 76 cm high. Mesh size 20 mm, edged all round.

**No. 30840**

## Badminton Post Competition

Movable, free-standing system with rubber wheels and protective rubber pads. Posts made of 50 x 50 cm aluminium pipe complete with hooks and tensioning belt. Blue, hammertone-enameled. Other colors on request. Weight of each post approx. 70 kg. Rear extension 60 cm.

**No. 30820**



## Additional Weight

Badminton Post Court Royal  
Approx. 35 kg each for competition

**No. 30825**

## Badminton Post Court Royal Tournament

According to DBV (German Badminton Federation) regulations. This system consists of two base frames, 60 kg each, as well as 12 plastic-coated cast iron weights, 10 kg each. This means a total weight of 120 kg for each post. The system has protective rubber pads. The 50 x 50 mm posts come complete with a tensioning belt. Solid rubber wheels mounted on ball-bearings enable easy transport with the weights. By taking off the weights and the posts the system can be easily stored and transported.


**No. 30831**



## Cast Iron Weights

Approx. 10 kg, plastic-coated

**No. 40498**



## Badminton Net Olympia

Made of 1.2 mm nylon line with tensioning steel wire, 6.60 m long. Size 6.02 m wide, 76 cm high, mesh size 18 mm, edged all round.

**No. 30860**




## Badminton Net Super Cup DIN

Competition net, compliant with DIN EN 1509 made of 1.4 mm nylon cord with 8 m long tensioning Kevlar cord and lateral polyester rods. Size 6.02 m wide, 76 cm high, mesh size 18 mm, edged all round.

**No. 30850**

# Systems - Nets



## Volleyball Posts Court Royal 80 Steel

Very sturdy volleyball posts 80 x 80 mm, made of steel, coated in white. Net attachment and tensioning device galvanized, smooth-running and continuously adjustable. Height of post from the ground 300 cm. Complete with ground sleeves

**No. 30505**



## Volleyball Post Universal 80 Aluminium

Reliable, solid volleyball post 80 x 80 mm aluminium, compliant with DIN 7896. Easy-running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) continuously adjustable. Surface of the posts and impulse profiles are matt-silver anodized. Complete with ground sleeves and covers.

**No. 30500**



## Volleyball Post Universal 83 Aluminium

Reliable, solid volleyball post 83 mm made of aluminium special profile, compliant with DIN 78966. Easy-running net attachment and tensioning devices continuously adjustable. All steel parts are galvanized. Post surface is matt-silver anodized. Complete with ground sleeves and covers.

**No. 30501**



## Volleyball Post Special 80

Top volleyball post 80 x 80 mm made of aluminium profile compliant with EN 1271. Extra sturdy construction including slider with roller and tensioning device, crank as well as net hooks. Surface matt-silver anodized. Complete with ground sleeves and covers.

**No. 30520**



## Volleyball Post Special 83

Top volleyball post 83 mm made of aluminium profile compliant with EN 1271. Extra sturdy construction including slider with roller and tensioning device, crank as well as net hooks. Surface matt-silver anodized. Complete with ground sleeves and covers.

**No. 30502**

# Systems - Nets



## Aluminium Umpire's Chair

Aluminium volleyball umpire's chair made of round profile Ø 35 mm. Simple height adjustment, 3 possible settings, complete with 4 rubber feet, 2 straps for fastening to volleyball post, plastic table.

**No. 30600**



## Volleyball Antenna one piece

With GVF certification mark, length 180 cm, complete with bag and marking tape.

**No. 30675**



## Aluminium Umpire's Chair Royal

Aluminium construction, height continuously adjustable with crank. Entrance via ladder at rear. Four adjustable rubber feet, webbing for fastening to volleyball post, table and back made of PE500.

**No. 30610**



## Volleyball Net Training

Robust design made of 2 mm polyethylene cord with 11.70 m long steel rope. Dimensions according to regulations 9.50 m long, 1 m high, mesh size 10 cm.


**No. 30620**



## Volleyball Net Tournament

Especially used for outdoor use, very sturdy design made of 3 mm polyethylene cord with 11.7 meter long steel wire. Size compliant with regulations: 9.5 meter long, 1 meter high, mesh size 10 cm.

**No. 30660**



## Beach Volleyball Net UNIVERSAL

Black polyethylene net 2 mm, 9.5 m long, 1 m high, top with 50 mm wide edging in neon-yellow Universal Sport logo.

**No. 30684**

# Systems - Nets



## Volleyball Post Heavy Duty

Absolutely weatherproof, very sturdy, vandalism-proof, competition-approved volleyball post made of 90 x 90 x 4 mm hot-dip galvanized steel profile. Height adjusted with a very easy-to-handle mechanism. Net tensioned with a turnbuckle. Complete with ground sleeves 35 cm. Post length 300 cm.

**No. 30510**



## Beach Volleyball Post Court Royal 83

83 mm Ø aluminium (DIN 7896). Easy running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) steplessly adjustable. Surface is yellow powder-coated. Including ground sleeves made of aluminium, 35cm long.


**No. 30693**



## Beach Volleyball Marking Lines

9 x 18 m, made of polyester tape 50 mm, with loops at each corner and middle marking. Complies with the GVF (German Volleyball Federation) requirements. Wounded onto a plastic reel. Complete with 4 ground anchors. Color, dark blue.


**No. 30688**



## Beach Volleyball Net UNIVERSAL

Black polyethylene net 2 mm, 9.5 m long, 1 m high, with 50 mm wide edging in neon-yellow Universal Sport logo.


**No. 30684**



## Beach Volleyball Net

Black polyethylene 2 mm, 9.50 m long, 1 m high, with pink edging 50 mm wide.

**No. 30680**



## Beach Volleyball Competition Net

Top 3 mm, low-stretch polyester tensioning rope, bottom 4 mm tensioning rope. With 4 tensioning cords as well as 75 mm wide coated edging in neon yellow.

**No. 30681**



## Beach Volleyball Marking Lines Turnier

9 x 18 m (or 8 x 16 m) with adjustable plastic corner elements, 50 mm wide PES-webbing and middle marking. Complete with 4 plastic ground anchors, 23 cm long and bungee tensioning ropes. color: dark blue.

**No. 30686**

# Court Accessories



## USP Motor Rollers

The new Universal Sport hydraulic rollers are characterized by their solid construction and good looks. Due to the use of serial components, the rollers are cost-effective, long-lasting and easy to maintain.

A special attention is paid on the work safety. Due to the suction-noise-insulation an easy rolling is possible. The rollers are equipped with an electronic, contactless ignition and an oil-warning control-system. All USP motor rollers are GS and TÜV proved.

Technical data:


Motor:	Honda GX 160, 4-stroke engine 4,0 kW at 3600 U/min.
Fuel:	Unleaded gasoline
Drive:	Maintenance-free hydraulic drive with automatic decompression, easy start.
Roller:	single-piece or split; width 900 mm, Ø 480 mm
Speed:	infinitely adjustable to approx. 6 km/h, forward and reverse
Working width:	900 mm
Weight:	empty ca. 390 kg; full ca. 510 kg
Dimensions:	length: 1750 mm; width: 990 mm; height: 1080 mm

## Motor Roller USP I OV

**No. 40120** One-part roller body, without body panelling

## Motor Roller USP II OV

**No. 40130** Two-part roller body, without body panelling



## Motor Roller USP I MV

**No. 40132** One-part roller body, with body panelling.

## Motor Roller USP II MV

**No. 40133** Two-part roller body, with body panelling.

## Protective Plane

Made of high-quality PVC.

**No. 40160**



## Motor Roller Zagro FUTURA -Self-Driving

Mount motor roller with a swivelling seat, rubber-coated, broad drive front wheel, split roller body with compensation differential for high maneuverability. Simple and easy rolling of the tennis courts.

Technical data:

Motor:	Honda GX 160, 4-stroke engine 4,0 kW at 3600 U/min.
Fuel:	unleaded gasoline
Drive:	hydraulic drive
Roller:	single-piece or split; width 900 mm, Ø 508 mm
Speed:	infinitely adjustable to approx. 6 km/h, forward / reverse
Working width:	900 mm
Weight:	empty ca. 380 kg, full ca. 510 kg
Dimensions:	length: 1800 mm, width 990 mm, height: 1050 mm

**No. 40152**



# Court Accessories



## Marking Strips with Perforations, Universal

Simple installation without nails. Non-slip surface, excellent ball bounce behavior. Set consists of 85 lengths 4 cm wide, 8 lengths 5 cm wide, each 1.60 m long. Complete with connectors. Complying with international regulations.

**No. 40290** 4 + 5 cm

**No. 40291** 93 lengths 5 cm

## Marking Strips unperforated

**No. 40250** white, 4 + 5 cm



## Replacement Marking Strips with Perforations

Complete with connectors. Set of 10 lengths, each 1.60 m


**No. 40292** 4 cm

**No. 40293** 5 cm

## T-connectors

100 per set

**No. 40301**



## Marking Line I

Installation requires only a few nails (nails not included). Set consists of 3 rolls, each roll 50 m.

**No. 40200** 4 cm

Only available in complete sets.



## Fastening Nails

Rounded, flat-head, hot-dip galvanized. Specially made for tennis lines. 5 kg required for each court.

**No. 40310**

## Treated Wooden Pegs

For securing the corner points. 16 pegs required for each tennis court.

**No. 40330**



## Iso-Line


Anti-frost line covering. Protection against frost and other extreme weather conditions. Polyethylene 150 mm wide, 8 mm thick, set consists of three rolls, each 50 m. The tape should be weighted down with stones every 30 cm.

**No. 40341**

# Court Accessories

## Tennis Line Speziala / Court Plus

This tennis line has been developed especially for clay courts. Made of flexible, hard, grooved PVC. With 4 mm wide lateral slits, at 28 mm intervals. The lines for double courts are supplied in 6 rolls. Hard PVC and lateral slits allow the lines and court surface to interlock perfectly. The lines are anchored with 18 ground plugs per court, which are included with all line sets. The installation of the lines can be carried out by only 1 person. Please choose the lines with the appropriate anchoring set for your needs.



### Ratchet Tensioner

Galvanized tensioner with special belts.  
**No. 40371**



### Drive-in Peg for Anchor Tube

Made of steel. In order to avoid damages while bashing the ground anchors, it is highly recommendable to use the drive-in-peg for anchor tubes.

**No. 40376**

### Anchor Tube Ground Plug

**No. 40373**

### Anchor Tube Floor Dowel

made from stainless steel  
**No. 403730**

## Tennis Line Speziala I / Court Plus I

Includes 18 anchor tube ground plugs  
4 rolls, each 24 m – 4 cm width / 1 roll, 22 m – 4 cm width / 1 roll, 17 m – 4 cm width / 1 roll, 13 m – 5 cm width

**No. 40365**

## Tennis Line Speziala II / Court Plus II

Includes 18 anchor tube ground plugs  
4 rolls, each 24 m – 4 cm width / 1 roll, 22 m – 5 cm width / 1 roll, 30 m – 5 cm width

**No. 40366**

## Tennis Line Speziala III / Court Plus III

Includes 18 anchor tube ground plugs  
4 rolls, each 24 m – 5 cm width / 1 roll, 22 m – 5 cm width / 1 roll, 30 m – 5 cm width

**No. 40367**

## Speziala 40 mm - Replacement Roll

**No. 40374** 17 m roll

**No. 403740** 22 m roll

**No. 403741** 24 m roll

## Speziala 50 mm - Replacement Roll

**No. 40375** 13 m roll

**No. 403750** 22 m roll

**No. 403752** 24 m roll

**No. 403751** 30 m roll



### Court Plus Anchoring Set

Consists of: 18 fixing clamps, rust-proof  
**No. 403530**

### Fixing Clamps

Made from stainless steel. For better anchorage of the corners. Fits to all Speziala sets.

**No. 40353**



### Speziala Anchoring Set I

Consists of: 18 stainless steel tubular anchors, 16 pieces with 4 cm anchors and 2 pieces with 5 cm anchors.

**No. 403760**

### Speziala Anchoring Set III

Consists of: 18 stainless steel tubular anchors, 18 pieces with 5 cm anchors.

**No. 403762**

### Speziala Anchoring Set II

Consists of: 18 stainless steel tubular anchors, 8 pieces with 4 cm anchors and 10 pieces with 5 cm anchors.

**No. 403761**

### Tubular Anchor

**No. 40372**

### End Fastener

**No. 40358** 4 cm

# Court Accessories




## Tennis Net Court Royal TN 8

Made of 3.2 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched four times, complete with steel wire. DIN EN 1510.

With European Seal of Approval.


**No. 40549** black



## Tennis Net Court Royal TN 9

Made of 3.4 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

**No. 40545** black



## Tennis Net Court Royal TN 15 black

Made of 3.2 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.


**No. 40550** black



## Tennis Net Court Royal TN 15 green

Made of 3.2 mm braided polyethylene, green, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.

**No. 40552** green



## Tennis Net Court Royal TN 20 black

Made of 3.4 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

**No. 40560** black



## Tennis Net Court Royal TN 20 green

Made of 3.4 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

**No. 40570** green


# Court Accessories



## Tennis Net Court Royal TN 90 black

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. Used in ATP tournaments, Davis Cup, as well as in the Olympics.

**No. 40610** black



## Tennis Net Court Royal TN 90 green

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. Used in ATP tournaments, Davis Cup, as well as in the Olympics.

**No. 40611** green



## Tennis Net Court Royal TN 30

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 7 rows double-knotted, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

**No. 40548** black



## Deluxe Tennis Net Court Royal TN 200

Made of 5 mm polyethylene with PVC covering. Very strong headband and borders. This net is also noted for its extremely long lifespan. Includes steel wire.

**No. 40580** black



## Tennis Net Court Royal TN 50 Tournament

Made of 3.5 mm braided polyethylene. Hand-knotted, the upper 7 rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plastic-coated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval.

**No. 40565** black

## Measuring Rod

Aluminium tube with marking at net height 91.5 cm

**No. 40652**



## Tennis Net Court Royal TN 55 Tournament Singles

Made of 3.5 mm braided polyethylene. Hand-knotted, the upper 7 rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plastic-coated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval.

**No. 40566** black

# Court Accessories



## Center Strap I

Made of cotton fabric, with brass eyes.

**No. 40700**



## Center Strap II

Made of PVC, with adjustable loops and spring hooks.

**No. 40710**



## Center Strap III

With plastic snap lock, spring hook and Velcro strip.

**No. 40720**



## Center Strap IV

With Velcro closure.


**No. 40711**



## Universal Center Strap

Made of high-strength nylon with stainless steel buckles and special hooks.

**No. 40690**



## Tennis Net Hanging Bracket

For winding and storage of tennis nets. Ready for use at any time.

**No. 40551**



## Tennis Net Numbering

Red plates made out of plastic, 30 mm diameter, with white numbers and snap hook to fix it to the tennis net for easy identification of courts.

**No. 40553**

**No. 40554**

**No. 40556**

Set of 6

Set of 12

Set of 18

# Court Accessories



**1) Tennis Net Weight**

Made of steel pipe with suspension eye for strap.  
**No. 40721**

**2) Ground Anchor I**

Made of stainless steel.  
**No. 40740**

**3) Ground Anchor Submerged Tube**

Made of aluminium for indoor and all-weather courts.  
**No. 40760**

**4) Tensioning Screw**

Made of galvanized iron, with counter nut.  
**No. 40730**

**5) Ground Anchor Special**

Steel wire with 3 mm eye loop for attachment.  
Anchors when secured in the ground.  
**No. 40751**

**6) Ground Anchor II**

Galvanized to hammer in, easy to use.  
**No. 40750**

**7) Ground Anchor III**

U-shaped, galvanized.  
**No. 40755**



**Replacement Tennis Net Headband**

Fast to replace, complete with looping string.  
**No. 40670**

**Replacement Wire** with loops, 13.80 m long.

**No. 40660**



**Single Net Rod** To use for single tournament games. Made of aluminium.

**No. 40650**

aluminium anodized

**No. 40649**

white

**No. 40648**

green

**No. 40655**

black

**No. 40647**

blue

# Court Accessories



## Tennis Net Post Alu TP 73

Round post  $\varnothing$  73 mm made of green plastic-coated aluminium. Special profile with three compartments, very sturdy with screw-on gear wheel mechanism of aluminium. Net holding rod and all screws and hooks are made of VA steel. Delivery without ground sleeves.

**No. 40422**



## Tennis Net Post Steel TP 76

Round post  $\varnothing$  76 mm made of green plastic-coated steel pipe with screw-on aluminium gear wheel mechanism with brass rope castors. removable crank, net-holding straps and net hooks fully welded. Delivery without ground sleeves.

**No. 40427**

## Ground Sleeves 73

Ground sleeves for 73  $\varnothing$  mm post.

**No. 404281**

## Ground Sleeves 76

Ground sleeves for 76  $\varnothing$  mm post.

**No. 40428**



## Tennis Net Post USA, Steel 76

76 mm galvanized  $\varnothing$  steel, green powder-coated. With brass gear mechanism, stringing block and a removable crank. Ground sleeves not included. Meets the European DIN EN 1510 safety standard.

**No. 40425**



## Tennis Net Post USA, Steel 80

80 x 80 mm galvanized steel, green powder-coated. With brass gear mechanism, stringing block and a removable crank. Ground sleeves not included. Meets the European DIN EN 1510 safety standard.

**No. 40424**

## Ground Sleeves 76

Ground sleeves for 76  $\varnothing$  mm post.

**No. 40428**

## Ground Sleeves 80 x 80

Ground sleeves for 80 x 80 mm post.

**No. 40433**


# Court Accessories



## Tennis Net Post Court Royal TP 83

Round post, Ø 83 mm. Special reinforced aluminium profile with groove for fastening the net holding rod. Internal trapeze tensioning mechanism with an aluminium key for easy net tensioning. Clip-on cap made of cast aluminium including safety chain. Overall length of posts: 142 cm. Weight: 10.5 kg. Aluminium ground sleeves, depth of insertion 35 cm, complete with cast aluminium cover. Meets the European DIN EN 1510 safety standard.


- No. 40400** aluminium anodized
- No. 40410** green powder-coated
- No. 40411** white powder-coated
- No. 40447** black powder-coated



## Tennis Net Post Court Royal TP 80

Square post, 80 x 80 mm. Special reinforced aluminium profile with groove for fastening the net holding rod. Internal trapeze tensioning mechanism with aluminium key for easy net tensioning. Clip-on cap made of cast aluminium including safety chain. Overall length of posts: 142 cm. Weight: 10.5 kg. Aluminium ground sleeves, depth of insertion 35 cm, complete with cast aluminium cover. Meets the European DIN EN 1510 safety standard.

- No. 40430** aluminium anodized
- No. 40440** green powder-coated
- No. 40445** white powder-coated
- No. 40446** black powder-coated
- No. 40448** blue powder-coated



# Court Accessories



## Tennis Net System Court Royal II Tournament

This newly developed tennis net system is a unique top-class product ; it differs from conventional systems through simple modification from double court measurements to single court measurements. Will be delivered in 5 parts. For single court usage the middle part has to be removed and a single net has to be mounted. Delivery is without net, single net rods and center strap. Here we recommend tennis net Court Royal TN50 No. 40565 (page 63) for doubles and tennis net Court Royal TN55 No. 40566 for single as well as Center Strap II No. 40710 (page 64), weight: 165 kg.

**No. 40485**



**Tennis Net System Court Royal modified for single match**



**Additional Weights for ATP-tournaments and Davis-Cup**

**No. 404901** (1 set has 4 weights à 10 kg)



**Single Net Rods Special** for Tennis Net System Court Royal


**No. 404902**



**Tennis Net System Court Royal with mounted weights**



## Court Accessories



**BEST  
PRICE**



### Court Royal Pointer Heavy II

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade. 6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hallmarks of this top product. The Court Royal Pointer can be displayed on both sides and due to its improved design with Home and Guest, it has a better clarity. Easy attachment to the fence by included special fixing.

Size: 46 x 60 cm with 7 cm high numbers.

- No. 40832** blue  
**No. 40838** green  
**No. 40839** white



### Court Royal Pointer Heavy II, freestanding

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade.

6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hallmarks of this top product. The Court Royal Pointer can be displayed on both sides and due to its improved design with Home and Guest, it has a better clarity. Stable, fillable with sand plastic, base with aluminium rods for fixing the Court Royal Pointers

Size: 46 x 60 cm with 7 cm high numbers.

- No. 408321** blue  
**No. 408381** green  
**No. 408391** white

# Court Accessories



## Advertising Umpire Chair Court Royal Deluxe Grand Slam

This heavy duty chair is ideal for advertising with 2 side panels of 10 mm PVC and 3 mm panels between steps. Plastic-coated aluminium base with UV-resistant seat and PVC table. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request.

**No. 408101** white

### 4-color digital printing

Please provide file for printing.

**No. 407934**



## Umbrella for Umpire Chair

Solid, tiltable parasol with a diameter of 150 cm, red. Incl. fittings.

**No. 40800**



## Advertising Umpire Chair Court Royal Deluxe Grand Prix

Plastic coated aluminium chair with UV-resistant seat and PVC table, ideal for advertising. Base frame with two side panels of 10 mm PVC. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request.

**No. 408100** white

### 4-color digital printing

Please provide file for printing.

**No. 407941**



## Seat Court Royal

**No. 408148** green  
**No. 408150** red  
**No. 408149** white  
**No. 408147** blue



## Seat, red

**No. 40771**



## Writing board

white, 550 mm x 15 mm x 10 mm.

**Nr. 408097**

# Court Accessories



## Umpire Chair Court Royal Tournament

Elegant aluminium umpire chair with European Seal of Approval DIN EN 131. Very robust because of the stable ladder and the projecting supports with four base plates. The seat mount has an extra crossbar behind the red, UV-resistant body-contoured seat.

**No. 40800**



## Umpire Chair Court Royal Deluxe

This aluminium umpire chair with European Seal of Approval DIN EN 131, meets the highest standards. The ladder with its especially wide slip-proof rungs, as well as the projecting supports with four base plates, gives this chair optimum stability. The middle plate between the ladder and the supports provides extra durability. The seat mount has an extra crossbar behind the red, UV-resistant body-contoured seat.

**No. 40809**



## Umpire Chair Court Royal Deluxe powder-coated

Same features as model No. 40809, green, white or blue powder-coated, with green, white or blue seat.



**No. 408099**

**No. 408098**

**No. 408089**

green

white

blue



# Court Accessories



## Aluminium Multi-Purpose Shovel

To spread clay or to remove old material and leaves, complete with handle.

**No. 40101** Size: 380 x 380 mm

**No. 40100** Size: 370 x 270 mm



## Rubber Rakes

For fast removal of leaves and rubbish, without handle.

**No. 40090** 50 cm wide

**No. 40089** 70 cm wide

**Wooden Handle** Ø 28 mm for Rubber Rakes.

**No. 40094**




## Special Rake

Made of stainless steel, corrosion-resistant, for professional smoothing of clay courts, 66 cm wide, without handle.

**No. 40083**

**Wooden Handle** Ø 28 mm

**No. 40094**



## Aluminium Plow

One side with steel band saw blade, the other side with solid profile, 70 cm wide.

**No. 40050**

## Saw Blade for plough

**No. 40051**

**Wooden Handle** Ø 28 mm

**No. 40094**



## Manual Roller I Special

For tennis courts and sports grounds. Working width 90 cm, empty weight 60 kg, water filled 180 kg. Single-piece roller body with rounded edges and counter weights.

**No. 40170**

## Manual roller I

Like article No. 40170, but without counter weights.

**No. 40171**

## Manual roller II Special

Like article No. 40170, but with a split roller body which makes it easier to turn.

**No. 40180**

## Manual roller II

Like article No. 40180, but without counter weights.

**No. 40181**


# Court Accessories



## Hard PVC Smoothing Mat

The scratch elements at the bottom side are ideal for roughening the place and at the same time for smoothing the unevenness and cleaning from leaves without damaging the surface. Especially suited for artificial grass courts and clay courts. All used material is extremely weather-resistant and low wear. Size: 185 x 75 cm.

**No. 41070**




## Combination Leveler

The PVC front part loosens and clears unevennesses and with the rear part of the heavy drag net the open places are smoothed again and scratched filth gets dragged along. All used material is extremely weather-resistant and low-wear.

Working width: 185 cm.


**No. 41079**



## Aluminium Drag Net, Special Single

One Extra-PVC fabric net with aluminium rail and drag cord. Working width 200cm, depth 150 cm.


**No. 410301**



## Aluminium Drag Net, Special Double

Two Extra-PVC fabric nets with aluminium rail and pull-handle. Working width 200 cm, depth 150 cm.


**No. 410302**



## Wooden Drag Net, Special Single

One special PVC fabric net 200 x 150 cm, with wooden rail. Suitable for clay and shale courts.

**No. 41030**



## Wooden Drag Net, Special Double

Two special PVC fabric nets 200 x 150 cm, with wooden rail. Suitable for clay and shale courts.

**No. 41041**

### Important Information:

Our wooden drag nets are made from torsion-free red pine wood which is not comparable to any other hard wood. Red pine is characterized by its density and durability. This type of wood is often used in high-quality furniture and patios. More than 100.000 wooden drag nets have been produced by Universal Sport over recent years.



# Court Accessories



## Broom-Mat Platzfit 150

Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminium rail and handle.

**No. 41071** working width 150 cm

## Replacement Brushes 150 cm

**No. 410712**




## Broom-Mat Platzfit 200

Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminium rail and handle.

**No. 41072** working width 200 cm

## Replacement Brushes 200 cm


**No. 410710**



## Universal Steel Wire Broom

Roughening of hard and water-impermeable tennis courts. For removing surfaces overgrown with moss. Ideal equipment for the work in spring. Should not be missing on each tennis court. Heavy model including aluminium pulling handle.

**No. 40920**



## Universal Tennis Court Broom Plastic, red

The 200 cm width smoothing broom with 4 replaceable broom parts is the ideal maintenance device for clay courts. The aluminium base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle.

**No. 40860**

## Replacement Brush Plastic, red

**No. 40890** 50 cm




## Granu-Top

This is the perfect broom for cleaning granular surfaces. The bent ends of the broom and the position of the bristles guarantee an even spread of granules. The static supercharge cleans debris abraded from the balls and lint from the surface. Complete with aluminium handle and weights on both ends. Working width 200 cm.

**No. 41076**

## Replacement Brush Granu-Top

**No. 410761** 200 cm



## Tennis Court Broom for Quartz Sand Plastic, yellow

The Smoothing Broom with 4 replaceable broom parts is the ideal maintenance device for quartz sand courts. The aluminium base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle, width 200 cm and yellow plastic bristles.

**No. 40881**

## Replacement Brush Plastic, yellow

**No. 40883** 50 cm

# Court Accessories



## Line Brush Top

Sturdy plastic-coated aluminium handle with joint. Brush with high-quality bristles.

**No. 41134** Arenga (soft)

**No. 41137** Plastic (hard)

## Replacement Brush Top

**No. 41135** Arenga (soft)

**No. 41138** Plastic (hard)



## Line Brush Nuovo

Plastic line brush with articulated joint, easy to use.

**No. 41125** with wooden handle

**No. 41124** with aluminium handle

## Replacement Brush Nuovo

**No. 41126**

## Replacement Wooden Handle for NUOVO

**No. 41127**

## Replacement Aluminium Handle for NUOVO

**No. 411261**



## Line Brush I with handle

**No. 41116** Plastic

**No. 41117** Arenga

## Line Brush II without handle

**No. 41100** Plastic

**No. 41110** Arenga

## Wooden Handle Ø 24 mm

**No. 40091**

## Line Lightning Sweeper

Perfected, well-designed line cleaner for all surfaces, especially clay, shale and rubber granule surfaces. All parts replaceable. Without handle.

**No. 41081**

## Replacement Sweeper Blades

**No. 41084**

## Replacement Rolls

**No. 41085**

## Replacement O-Ring

**No. 41086** set of four

## Bracket

**No. 41088**

## Replacement Wheels

**No. 41089** set of two



## Match Liner

Counter running brush sweeper for all tennis surfaces. Hard-wearing weather-proof construction. Without handle.

**No. 41082**


## Replacement Brush

**No. 41083**

## Handle 24 mm

**No. 40091**


# Court Accessories



## Drag Net Double Holder

The newly developed double drag net holder for ideal storage of smoothing and drag nets. Made of aluminium tubing with two hooks and a fixing bracket for fence posts with Ø 60 mm. The holder is coated in yellow plastic and therefore easily visible.

**No. 41434**



## Tool Holder

Zinc-plated steel, fixing bracket with standard hook. To hang brooms, drag nets and smoothing mats.

**No. 41430** Ø 45 mm

**No. 41440** Ø 60 mm



## Drag Net Holder

Made of galvanized flat iron, 3 mm thick, includes fixing materials for trouble-free assembly on fence post.

**No. 41443**



## Handle Holder

For line brushes and all other equipment with a broom handle diameter of 23–28 mm. The rubber holder holds the handle securely. The holder can be easily attached to a fence post with Ø 60 mm, by using clamps.

**No. 414321**



## Tool Holder EXTRA

Fixing clamp with rubber lining. Does not damage posts. All steel parts zinc-coated. For brooms, drag nets and smoothing mats. For fence post with 60 mm Ø.

**No. 41435**



## Tool Holder

Fixing clamp with 1 hook. For brooms, drag nets and smoothing mats. Made of zinc-coated steel, for fence post with 60 mm Ø.

**No. 41431**



## Hand Brush Holder

Fixing bracket with 2 hooks for hanging hand brushes. Made of steel, for fence post with 60 mm Ø.

**No. 41433**

# Training



## Ball Machine Playmate Portable

High-quality machine with aluminium cabinet. Very easy handling and compact storage. Holds 200 balls, battery powered with on/off remote control. Variable back and top spin, oscillation with one, two or three lines.

Technical data:

- Ball capacity: 200 balls
- Dimensions(HxWxD): 64x56x48 cm
- Weight: 31 kg
- Power: battery
- Playing time: 6 hours
- Recharging time: 12 hours
- Feeding interval: 1-10 sec.
- Top speed: 140 km/h
- Ball flight: short-long
- Line-directions: 2 direction and random
- Ball spin: topspin and slice
- Case: Aluminium
- Remote control: yes on-off

**No. 42003**

## Playmate ACE

One of the top-selling machines in the USA. Comes with an ON/OFF remote control. Ball frequency: Two different ball speeds and spins. Elevation control; ball can be played from a drop shot to a baseline drive; variable topspin and backspin. Oscillation to one, two or three lines.

Technical data

- Ball capacity: 200 balls
- Dimensions(HxWxD): 96x48x87 cm
- Weight: 33 kg
- Power: 220 volts
- Feeding interval: 1-10 sec.
- Top speed: 150 km/h
- Ball flight: short-long adjustable
- Line-directions: 3 directions right-left-right
- Ball spin: topspin and slice
- Case: Aluminium
- Remote control: yes on-off

**No. 42034**



## Universal Tennisball-Collector

This new ball collector collects all spread out balls in shortest time. Basket can be removed easily and emptied into the ball trolley or ball machine. The tentacles are retractable. High quality aluminium construction with big wheels. Basket can be hooked to the handle when balls are played.

**No. 42076**



# Training

## CLAX ® Ball Trolley

This newly developed trolley is essential for all tennis trainers. Due to the use of aluminium and a high-grade plastic, a high durability is guaranteed. The easily smooth-running wheels are bearing mounted and are equipped with lever brakes. Foldable within seconds. Storable in almost all trunks. A 46 ltr folding box is included but any other 32 or 46 ltr boxes can also be used. The boxes can be transported on the upper as well as on the lower platform. Load capacity of upper level 20 kg and the lower platform 40 kg.

Dimensions:

Completely opened: (L x W x H) 55 x 103 x 89 cm, folded together: (L x W x H) 55 x 71 x 18

Cage Height: 85 cm, Cage size: (L x W x H) 60 x 34 x 26 cm

Capacity: 120 balls, Weight: 10 kg

**No. 26000**

## Replacement box for CLAX trolley

**No. 26001**



## Ball Trolley Court Royal

Very stable and easily moveable trolley with large casters. Big ball basket and extra storage tray. Chrome-plated frame. The baskets and the lockable cover are powder-coated black. (lock not included)

Capacity: 330 balls, Size: (L x W x H) 60 x 49 x 92 cm, Cage Size: (L x W x H) 60 x 49 x 36 cm, Weight: 10 kg.

**No. 43021**



## JOWO Tennis Caddy

The ideal partner for professional tennis trainers. Three height adjustment settings, simple and fast handling in transport. Can be folded for storage in a small space. Lockable cover. Sturdy, weatherproof structure. Capacity: 220 balls.

**No. 42087**

# Training



## Ball Basket Court Royal

The best-selling ball basket. Very sturdy, chrome-plated for collecting balls without bending over. Handle can also be used as stand. Locking cover, sturdy construction. Lock not included. Capacity: 70 balls.

**No. 42080**



## Ball Pickup Tube Court Royal

Saves time and efforts picking up balls. Simply press this practical tube down onto the balls on the floor and it picks them up. Holds 17 balls. To empty the tube, just open the cover at the opposite end.

Length 120 cm, Weight: 0.8 kg

**No. 42053**



## Ball Basket Professional

Sturdy wire basket with special plastic coating. To collect balls and for use as stand. Super locking mechanism. Very stable. Wheels for easy transport. Hinged cover to lock the basket. Ideal for everyday use. Capacity: 90 balls.

**No. 42081**



## Plastic Ball Basket

Sturdy plastic ball basket with long handles that can be slid into both sides for use as a stand and for carrying the basket. Standing height 80 cm, Capacity approx. 80 balls., Weight: 1.9 kg.

**No. 42073**

# BALLBASKET

**HOLDS 80 BALLS**

Want a better serve?  
Ballport and practice is the answer.

BALLBASKET is made of tough, durable, recyclable polypropylene. Assembly is a snap. Sides snap together and screws are provided. Easy assembly instructions are in the box. No rust or weld breaks as with wire ball pick-ups. Handles flip over so you don't have to bend to pick up balls or bend down to take them out of the basket. So unique that multiple patents were granted.

Sliding bars at top provide quick release for easy transport.

Steel handles lock in place automatically as you turn the handles up. Now you pick up balls without bending. Just place over balls and press down. Balls roll in.

Locks lock automatically when you flip them down.

Bar on the bottom bar as you pick up balls. This makes ball pick-up even faster than forcing bars over balls (as with other ball pick-ups).

# Training



## Tennisball Balls Unlimited Code black

A combination of natural rubber and woven English playnes felt. In our range of products this excellent tournament ball guarantees maximum performance and stability. Clearly less expensive than comparable brands. ITF approved tournament quality.

No. 46014

pack of 4



## Tennisball Balls Unlimited Code Red

A combination of natural rubber and woven TTI-felt. This tournament ball guarantees maximum performance and stability. A superb playing behavior and an excellent price/quality-ratio. ITF approved tournament quality.

No. 42093

pack of 4



## Tennisball TYGER X-Force

A combination of natural rubber and woven hightech felt. This top tournament ball guarantees maximum performance and is extremely durable. This excellent ball is ITF approved.

No. 46009

pack of 4



## Tennisball Balls Unlimited Code

High-quality woven TTI-felt from Thailand. Pressureless, durable tennisball for training use. Suited for ball machines.

No. 42092

pack of 60



## Tennisball Court Royal Coach

High-quality woven needle felt, perfect price/quality ratio, popular with trainers, excellent stability. Suited for ball machines.

No. 42091

pack of 60



## Universal Sport Coach

High-quality woven English TTI-felt. Pressureless tennisball in tournament quality. The long-lasting elasticity of the pressureless core guarantees extremely long stability. Especially suited for ball machines.

No. 42090

pack of 60



## BIMBI Easy Stage 2

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. Applied over years in smallfield-tennis-championships, ITF approved.

No. 46002

pack of 60



## Foam Balls

Polyurethane foam tennis balls, ideal for beginners. Slow play enables a good motion-sequence.

No. 20846

Ø 70 mm

No. 20844

Ø 90 mm



## Fun Bal

The fun ball bounces in all directions. Ideal for reaction-training. The harder balls are faster than the softer ones.

No. 42095

7 cm soft

No. 420951

7 cm hard

No. 420952

10 cm soft

No. 420953

10 cm hard

# Training



## Air-Tennis practice wall

The recently developed Air-Tennis tennis practice wall is the ideal training partner for everyone, from beginners to experts. This product is a unique and absolutely unbeatable piece of training equipment for use in stationary or transportable mode. It comes in a bag and is easy to transport. To set it up, simply unfold it on the ground and roll it out. Use the bellows (supplied), then fill it with air - it just takes seconds. You can use the air pressure gage, also supplied, to check that the air pressure is at the right level, as this also affects the way the ball bounces back. There are also attachment straps on both sides for attaching the practice wall to our pairs of stands, fences, or sports hall walls. The ground protection sheet, also supplied, is simply attached to the rear side of the wall with hook and loop fastener. You can also empty it in seconds, simply by turning over the bellows. Players can play on both sides of the Air-Tennis practice wall. It has lines marked on it at the height of the net to guide the player. Tested by international trainers who rated it very highly.



### Air-Tennis practice wall 3 m

300 x 180 cm

No. 42020

### Air-Tennis practice wall 4 m

400 x 180 cm

No. 42021

### Air-Tennis practice wall 5 m

500 x 180 cm

No. 42022

### Air-Tennis practice wall 6 m

600 x 180 cm

No. 42023

### Air Tennis practice wall set

300 x 180 cm complete with stands.

No. 42025

You can download the informative film about using and instructions here.



Use



Setup



**Pair of stands**  
No. 42024



# Kids' Tennis



## Roobak Training Net Wall

Made of powder-coated steel tubes. Roobak is a product developed in Australia. With the adjustable net tension and various setting angles it is possible to simulate serves and returns up to 10 meters.

The extreme rebound speed enables a normal playing rhythm and ball control for both beginners and professionals. Different games are possible with the eight marking cones. Dimensions: 150 x 150 cm, weight 6 kg.

**No. 45010** hot pink



## Tennis Net Training Wall

Transportable net wall of enameled tubular steel. Infinitely adjustable, for different ball variations. Size: 2.80 x 2.20 m.

**No. 42040**

## Replacement Net for Tennis Net Training Wall 2.60 x 2.0 m.

**No. 42041**

## Replacement springs

**No. 42037**



## Multi Sports Radar

This new speed control measuring instrument can be used for tennis, golf, football and many other ball games. The ball speed can be displayed within a few seconds.

Technical Data:

- Speed control from 5 to 199 km/h or 3 to 150 m/h
- Measuring distance from 1-12 m
- Three-figure LED-display with 55mm high digits
- Voice-announcement of the displayed digits is adjustable
- On the average batteries without voice are non-perishable ca. 50h, batteries with voice ca. 30h.
- Automatic switch-off- function for saving the batteries
- 5 AA batteries are needed (Not contained in consignment).
- Suitable for all tripods
- Dimensions: 18 cm x 15 cm x 12 cm

**No. 43003**

## Tripod for Multi Sports Radar

**No. 43002**



# Kids' Tennis



## Bimbi Small Court Tennis System

This practical system was used in the small court tennis project run by the German Tennis Association and has proved its value. Fast and simple to assemble. Stable when assembled because of its wide stands. Ideal net tension with self-tensioning system.

Can be stored in a small space in a practical bag.

Official German Tennis Association size: 6.10 x 0.85 m. Weight approx. 6.5 kg.


No. 40488

## Replacement net 610

No. 40489

## Bag

No. 40503



## Marking trolley for Tennis

New product developed for children's tennis, spreading width approx. 50 mm.

No. 45005

## Chalk for Tennis Courts

5 kg. in pail

No. 45009



# Kids' Tennis



## Bimbi Club Package II

Consists of: 1 Bimbi small court tennis system, 4 Bimbi children's rackets and 1 Bimbi Easy-Set.


**No. 46033**



## Bimbi School Tennis Package II

Consists of: 2 Bimbi small court tennis systems, 16 Bimbi children's rackets and 2 Bimbi Easy-Sets.

**No. 46031**



## Children's Net System USP I

Sturdy aluminium design, 40 x 40 mm tubular frame with rubber base to protect court surface. U-shaped section to insert the cast iron weights. Aluminium net post with quick-action tensioner. The system is easy to dismantle and to transport. Space-saving in storage. It consists of 2 aluminium bases, 2 net posts, 4 plastic-coated cast system weights and a nylon net.

Dimensions 6.10 m x 0.85 m, weight 45 kg.

**No. 40495**

## Cast iron weights

Approx. 10 kg, plastic-coated.

**No. 40498**

## Children's Net System

Sturdy aluminium system, 40 x 40 mm tubes. Easy to dismantle and to transport. Consists of 2 aluminium bases including posts, each 3.05 m long, 2 net holding rods and a nylon net. Dimensions 6.10 m x 0.85 m.

**No. 40491**

## Children's Net System

Like article No. 40491 but with 6 rollers.

**No. 40493**



## Children's Net Nylon

6.10 x 0.85 m

**No. 40564**



# Kids' Tennis



## Bimbi 6,10 m Small Court Tennis Net

Its practical connection system makes it quick and easy to assemble. Just slip the net over the two posts. 5 different net tension levels. Supplied with storage bag.

Size: 6.10 x 0.85 m

No. 40506

## Bimbi Replacementnet 6,10 m

No. 40509

## Bimbi Replacementnet 3 m

No. 40501

## Bimbi 3 m Small Court Tennis Net

Its practical connection system makes it quick and easy to assemble. Just slip the net over the two posts. 5 different net tension levels. Supplied with storage bag. Size: 3 x 0.85 m

No. 40500



## Bimbi Small Court Tennis Net, 3 m Street Set

Just like the Bimbi 3m Small Court Tennis Net, but with 2 Topspin 60 cm tennis rackets and 6 Bimbi Easy balls.

No. 40512



## Bimbi Small Court Tennis Net, 6,10 m School Set

Just like the Bimbi 6.10m Small Court Tennis Net but with 4 Topspin 60 cm tennis rackets and 12 Bimbi Easy balls.

No. 40510

# Kids' Tennis



## Tennisball

### Balls Unlimited Stage 1

High-quality woven flex felt. 25% slower and 10% lighter than normal tennisballs. ITF approved.

**No. 45080** pack of 12



## Tennisball

### Balls Unlimited Stage 2

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. ITF approved.

**No. 45081** pack of 12



## Tennisball

### BIMBI Easy Stage 2

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. Applied over years in smallfield-tennis-championships, ITF approved. Weight: approx. 43g. An absolute premium product.

**No. 460020** pack of 12



## Tennisball

### Balls Unlimited Stage 3

High-quality woven flex felt. 6% larger and 20% lighter than normal tennisballs. ITF approved.

**No. 45082** pack of 12



## Foam Ball Stage 3

Soft foam ball especially developed for starting off on the small field and midcourt. Distinctly larger than Stage 1 + 2 balls, slower bounce and flight behavior.

**No. 42096** pack of 12



## Stage 1 Children's Racket

The perfect racket for children aged between 8 and 12 years! For full court, length: 64 cm, weight: 220 g.

**No. 45075**



## Stage 2 Children's Racket

The perfect racket for children aged between 7 and 11 years! For mid court, length: 60 cm, weight: 200 g.

**No. 45073**



## Stage 3 Children's Racket

The perfect racket for children aged between 5 and 8 years. For mini court, length: 54 cm, weight: 180 g

**No. 45072**



## Stage 4 Children's Racket

The perfect racket for children aged between 3 and 5 years. For mini court, length: 48 cm, weight: 170 g.

**No. 45071**



## Stage 5 Children's Racket

The perfect racket for children aged under 3. For mini court, length: 43 cm, weight: 150 g

**No. 45074**

# Kids' Tennis



## Youth Stage 2

Rubber lines for the original Stage 2 court. 2 side lines: 3 cm, 2 base lines 4 cm wide. Color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Original length: 17.83 x 6.17 (single) or 8.23 m (double).

**No. 45001**



## Youth Stage 3

Rubber lines for at least 2 original Stage 3 courts. 4 lines, 6.60 m each (can be extended to 11 m) color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Includes tennis court lines.

**No. 45002**



## Marking Lines for Kid's Tennis

Marking lines for small court tennis. Made of heavy-duty, non-slip and indestructible PVC. The weight of the line keeps it flat on the ground and it needs no additional fixation. Marking set of 2 rolls, 11 m long, 8 cm width.

**No. 45000**

white



## Street marking tapes

Made of high quality PVC, can be used on any surface. 4 corners and 12 lines.

**No. 45006**



## Court marking tapes

Made of high quality PVC, can be used on any surface. 8 corners, 12 legs and 8 circles.

**No. 45007**

## Circle marking tape

Made of high quality PVC, can be used on any surface. Set of 10, yellow.

**No. 46044**

## Line marking tape

Made of high quality PVC, can be used on any surface. Set of 10, yellow.

**No. 46040**

## Corner marking tape

Made of high quality PVC, can be used on any surface. Set of 10, yellow.

**No. 46042**



Non-slip surface and needle valve.

# Benches




**Players Bench Grand Slam Aluminium** 150 cm long, white. The bench is an ideal advertising medium and is used worldwide at international tennis tournaments and in football stadiums. High-quality aluminium construction, white powder-coated. The seating surface consists of 5 multi-chamber profile slats, supplied in four parts, easy assembly. The 10 mm PVC advertising panels are pre-assembled without an advertising logo. Weight 27 kg.

**No. 41222**

**4-color digital printing.** Please provide file for printing.

**No. 412221**




## Front Advertising Panel 150 cm

Additional advertising panel for the front leg area. 10 mm PVC advertising panel with aluminium mounting bar and fittings as well as a 6 mm drill to pre-drill the holes for the self-tapping screws. Easy handling according to instructions.

**No 412223**

**4-color digital printing** Please provide file for printing.

**No. 412225**



## Rear Advertising Panel 150 cm

Additional advertising panels for the rear of the bench. 10 mm PVC advertising panels, pre-drilled, with fittings as well as a 6 mm drill to drill the holes for the self-tapping screws. Easy handling according to instructions.

**No. 412224**

**4-color digital printing**

Please provide file for printing.

**No. 412226**



## Umbrella

for advertising bench.

Solid, tiltable parasol with a diameter of 150 cm, various colours available.

**No. 408009**



## Umbrella Holder for advertising bench.

Made of white, powder-coated aluminium, with fittings for easy mounting.

**No. 408007**



## Advertising Bench Freiburg KU 150 cm

2 all-plastic legs and 5 multi-chamber plastic slats serving as a seat and a KU back-rest for easy attachment of advertising stickers. The more economical model is developed especially for indoor use as well as for Central European temperatures.

**No. 41202** white



## Advertising Bench Freiburg GFK 150 cm

2 all-plastic legs and 5 multi-chamber plastic slats serving as a seat and a KU back-rest for easy attachment of advertising stickers. This exclusive, high-quality GFK model is very robust and specially developed for extremely hot regions.

**No. 41208** white

**4-color digital printing**

Please provide file for printing.

**No. 412209**

# Benches



## Deluxe Tennis Bench

Our newly designed tennis court bench has everything you could wish for. Plenty of space (approximately 100 x 45 cm) in the middle for bags and rackets, two comfortable seats, with plastic-, weather- and light-resistant seat pads, 57 cm wide and 50 cm deep. Super robust design. A first class product.

**No. 41213** white



## Bench Hohenzollern

Elegant, yet extremely robust bench for tennis courts and outdoor use. With armrests, seat width 150 cm, seat depth 50 cm. Solid plastic construction with integrated, stainless steel brackets. Seat and back are supplied preassembled to make setting up easier.

**No. 412012** white



## Landhaus planter

Solid plastic construction. Internal capacity 40 x 40 cm split into four side parts, supplied with bottom tray. Footprint 46 x 46 x 46 cm.

**No. 412013** white



## Bench Cologne 120 cm long, white

2 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight approx. 13 kg.

**No. 412233**



## Bench Cologne 120 cm long, green


2 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight approx. 13 kg.

**No. 412234**

# Benches



**Bench Munich** 150 cm long, white  
2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 9 kg.  
**No. 412210** white



**Bench Munich** 150 cm long, green  
2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 9 kg.  
**No. 412211** green



**Bench Freiburg** 150 cm long, white  
2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 15,5 kg.  
**No. 41200** white



**Bench Freiburg** 150 cm long, green  
2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 15,5 kg.  
**No. 41199** green




**Bench Helgoland** 150 cm long, white  
2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 19 kg.  
**No. 41203** white




**Bench Helgoland** 150 cm long, green  
2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 19 kg.  
**No. 41207** green

# Benches



**Bench Stuttgart** 200 cm long, white  
3 plastic legs and 5 multi-chamber plastic slats, without backrest therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 11,5 kg.  
**No. 412212** white



**Bench Stuttgart** 200 cm long, green  
3 plastic legs and 5 multi-chamber plastic slats, without backrest therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 11,5 kg.  
**No. 412213** green



**Bench Berlin** 200 cm long, white  
3 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight 18,5 kg.  
**No. 41210** white



**Bench Berlin** 200 cm long, green  
3 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight 18,5 kg.  
**No. 41211** green



**Bench Sindelfingen** 200 cm long, white  
3 plastic legs and 12 multi-chamber plastic slats. Practical and comfortable to sit on. Weight approx. 26 kg.  
**No. 41204** white



**Bench Sindelfingen** 200 cm long, green  
3 plastic legs and 12 multi-chamber plastic slats. Practical and comfortable to sit on. Weight approx. 26 kg.  
**No. 41212** green

# Accessories



## Wire Waste Bin 75 l

2 mm strong hot-galvanized frame with 4.8 mm round steel legs. Metal base with holes for water drainage.  
Size: 40 cm Ø; height 60 cm  
**No. 41278**

## Wire Waste Bin 63 l

2 mm sturdy, strong hot-galvanized frame. 4.8 mm round steel legs. Size: 40 cm Ø; height 50 cm.  
**No. 41277**

## Wire Waste Bin 18 l

Semi-circular, galvanized with perforated metal base to drain water. Spring hooks for fastening to fence. Size: height 14 cm, width 32 cm, depth 17 cm.  
**No. 41236**



## Waste Bin 50 l

UV-resistant plastic waste bin. Heavy-duty hot galvanized metal fixture for fastening to poles, railings or walls. Complete with hardware and key.  
**No. 41233** green  
**No. 41234** orange



## Designer Waste Bin

In the shape of a tennis ball, approx. 50 cm Ø. Made from top-quality special plastic. Completely UV and weather-resistant. Hinges and fastening materials made from stainless steel. Hinged lid. Standard version with 2 quick-release straps for mounting on poles, railings or walls.

## Soccer Ball

**No. 41226**

## Tennisball yellow

**No. 41224**

## Tennisball green

**No. 41223**



## Megaphone TM-10

Built-in microphone, siren switchable, volume control, output power: 10 W max., average sound pressure (1 W/m): 90 dB, size: Ø 158 mm, length 244 mm, weight 595 g, power pack: 8 x 1,5 V-(AA)-Mignon-cells (not contained in consignment).

**No. 10500**



## Megaphone TM-22

Low weight and low power consumption through Piezo-Technology. Built-in microphone, siren and controllable signal sound, volume control, battery-status indication, output power: 20 W max., average sound pressure (1 W/m): 115 dB. Size: Ø 195 mm, length 315 mm, weight 850 g, power pack: 8 x 1,5 V-(AA)-Mignon-cells (not contained in consignment).

**No. 10501**



## Megaphone TM-17

Hand-microphone with spiral cable, speaking locking button and volume control at the microphone, operating breaker for siren, language and whistle, socket for external 12-V-battery-operation, automobile-connection cable, output power: 25 W max., average sound pressure (1 W/m): 110 dB, size: Ø 230 mm, length 340 mm, weight 1,7 kg, power pack: 8 x 1,5 V (C) Baby-battery (not contained in consignment), ext. 12 V=/2A,12-V-connection.

**No. 10502**




## Megaphone TM-27

Built-in microphone, siren switchable, volume control, socket for external 12-V-battery operation, automobile-connection, output power: 25 W max., average sound pressure (1 W/m): 115 dB, size: Ø 230 mm, length 370 mm, weight 1,7 kg, power pack: 8 x 1,5 V (C) Baby-battery (not contained in consignment), ext. 12 V=/2A,12-V-connection.

**No. 10503**


# Accessories



## Brush Shoe Cleaner Ideal

Made of zinc-coated steel with high-quality bristles. Ideal cleaner for sand and clay courts.  
600 x 400 mm.


**No. 41284**



## Tennis Shoe Cleaner wood

Made from polished beech wood. Size 360 x 270 mm. Extremely durable non-slip construction.


**No. 41269**



## Tennis Shoe Cleaner Little

Solid plastic construction. Size 270 x 350 mm

**No. 41271**



## Shoe Cleaning Mat Atlantis

A solid, stiff brush mat made of recyclable synthetic material.

Width: 590 x 380 x 30 mm.

**No. 41280**



## Shoe Cleaning Tub

The perfect cleaner for all kind of sports shoes. Fine sprays of water in the punched rubber mats clean the soles of the shoes when triggered by the person's weight. Can be used for clay, granule and sand courts. Dirt remains in the tub. Easy to clean. Size 600 x 500 mm.

**No. 41286**

# Accessories



## Tennis Court Drying Set

Bucket with galvanized grid plate and sponge with aluminium handle. To soak up small puddles on the court.

**No. 41182**



## Tennis Court Drying Set

Bucket with galvanized grid plate and sponge with aluminium handle. To soak up small puddles on the court.

**No. 41182**



## Water Roller

Foam rubber roller with handle. To clear puddles from hard courts, 90 cm wide. All metal parts galvanized.

**No. 41180**

## Spare Roller for Water Roller

**No. 41181**

## Universal Absorbing Roller Special

Absorbing drum with foam rubber covering, hot-galvanized frame and drum body. Thanks to the huge absorbent capacity of this roller it is possible to make a court playable again in a very short period of time. Working width 80 cm.


**No. 41141**

## Replacement Absorbing Drum

**No. 41150**

## Replacement Sponge (adhesive)

**No. 41151**



## Rubber Squeegee "Dry Court"


Made of aluminium, 145 cm wide, replaceable rubber blade, 2 durable wheels in front. Easy and convenient for water removal and ball collection. Works especially well around pools, on driveways, golf greens and any flat or hard surfaces. Comes with one blade for replacement.

**No 41183**

## Replacement Rubber Blade

**No. 41184**

# Accessories



## Spray Nozzle

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube.

**No. 41340**



## Spray Nozzle with Shut-Off Valve

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube. With shut-off valve.

**No. 41350**



## Pistol Spray Nozzle

Large nozzle sprinkles evenly over large areas. With a pistol grip. Optimum adjustment of sprinkling with shut-off device.

**No. 41360**



## Water Hose Special

Quality hose, especially for tennis courts, resistant to low temperatures. Flexible, compression-proof, weatherproof. Available in 50 m lengths.

**No. 41371** 3/4"

**No. 41381** 1"



## Water Hose

Especially for tennis courts and sports grounds, green. Available in 50 m lengths.

**No. 41370** 3/4"

**No. 41380** 1"



**41403**

**41391**

**41402**

## Geka adapters, brass

**No. 41391** 3/4"

**No. 41401** 1"

## Gaskets for Geka

set of 10 pieces

**No. 41342**

## Connectors, brass with Geka

**No. 41402** 3/4"

**No. 41404** 1"

## Gaskets for internal thread

set of 10 pieces

**No. 41405** 3/4"

**No. 41406** 1"

## Hose clip, set of 10 pieces

For water hose up to 2"

**No. 41403**

## Gaskets for spray nozzle

set of 5 pieces

**No. 41341**

# Accessories



## The high-quality screen, proven and tested thousands of times worldwide

Heavy-duty polyethylene fabric, UV-stabilized, lets wind through. Full border with plastic-lined brass eyes every 50 cm, thus very resistant to tearing.

**Wind Screen Super.** The Quality Super weighs 160 g/qm is wind permeable and is available in the colours light- and dark green. It is the most sold wind screen. Only available in 12 x 2 m.


**Wind Screen Exclusive.** The quality of Wind Screen Exclusive weighs 140 g/qm and is extremely wind permeable and is excellently suited for printing, available in the colours light and dark green, yellow, white, blue, red and black. Standard size 12 x 2 m, but also available in length of 50 m and height of 4 m.

**Printing.** The print is rolled on by hand twice with special UV-resistant ink. This ensures good adhesion and a long life. Print is normally done in black, however other colors can be printed on special request. Any company logo as well as standard lettering can be printed. Please contact our graphics department for special designs with your own lettering and logos. You will be sent draft forms free of charge which we will revise and present as final artwork ready for printing. Please contact us for further details.

## Spring Hooks

Galvanized, 60 hooks needed per 2 x 12 screen

Technical changes reserved. Pictures are partially illustrations.



## Indoor Hall Covering

Top and sides with ring eyes, bottom weighted down with sewn-in lead tape.

## Perimeter Banners

Available in special sizes up to 4 meters in height and 50 meters in length in 10 different colors, with ring eyes or border stitching. Printed colors RAL-compliant.

# Accessories



## Wind Screen Light Green

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

**No. 415115** Super  
**No. 41511** Exclusiv



## Wind Screen Dark Green

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

**No. 415105** Super  
**No. 41510** Exclusive



## Windscreen Exclusive Color

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

**No. 41512** blue  
**No. 41513** white  
**No. 41514** black  
**No. 41515** yellow  
**No. 41516** red



## Windscreen Exclusive with Advertising Printing

With metal eyelets every 50 cm. Color: light green or dark green  
Dimensions: 12 m x 2 m.

**No. 415171** printing up to 40%



## Windscreen Exclusive with Advertising Printing

With metal eyelets every 50 cm. Color: light green or dark green  
Dimensions: 12 m x 2 m.

**No. 415172** printing up to 60%



## Windscreen Exclusive with Advertising Printing

With metal eyelets every 50 cm. Color: light green or dark green  
Dimensions: 12 m x 2 m.

**No. 415173** printing up to 80%



## Windscreen Advertising Superprinted with Universal Sport

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

**No. 41500** dark green  
**No. 41501** light green



## Windscreen Advertising Superprinted with Court Royal

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

**No. 41503** dark green  
**No. 41504** light green

# Accessories



**Showcase 41920**



**Showcase 41930**



**Showcase 41933**



**Showcase 41940**



**Showcase Type 41940 in Stand frame II**



**Details:**

Keeping open system, safety lock, suspension system in stand frame, Stand Frame I

## Information Board TMD 95

Suitable for outside and inside use, absolutely weatherproof design. Made of top grade, torsion-free aluminium sections, depth 95 mm. The surface is anodized in matt silver (E6-EV1). State-of-the-art manufacturing processes and advanced processing machines have been combined with technical know-how to provide a solid basis for this quality product.

### Basic frame

Very robust aluminium base frame with inset steel back wall with corrosion-resistant coating.

### Front frame

Aluminium front frame made of torsion-free multi-chamber aluminium sections with integrated weatherproof rubber seal and shatter-proof acrylic glass pane.

### Front frame fitting

Special interlocking sections across the whole width so that no hinges are required; this provides greater stability.

### Front frame opening

The front frame opens upwards and is held open by rods which engage automatically. The catch is released by lifting the front frame up again.


### Safety lock

Safety lock located on the bottom edge with two keys. Simple and troublefree operation.

### Wall fastening

The information board is fastened to the wall by means of two aluminium section rails; the board is then inserted into the rails and fixed by two screws at the bottom. All fastening elements are accommodated in the frame sections. It is not possible to dismount the information board when it is closed. This protects it very effectively from theft.

<b>Showcase TMD 95</b>					
<b>Measuring</b> Width x height x depth 95 mm Visible surface without lettering strip Incl. Magnets (Ø 30 mm) Weight For outdoor and indoor use. Anodized (E 6 - EV 1) aluminium housing with black magnetic board, safety lock with two keys, wall fixing set.	mm	700 x 525	1000 x 850	850 x 1000	1350 x 1025
	mm	640 x 465	940 x 790	790 x 940	1290 x 960
	piece	10	20	20	20
	kg	12	20	20	33
<b>Accessories</b>					
<b>Lettering strip, neutral</b> Acrylic glass 4 mm, translucent white, H 120 mm	Art.-No.	47100	47101	47102	47103
<b>Lettering strip, with lettering</b> Version as above, but with choice of text (print letters)	Art.-No.	47110	47111	47112	47113
<b>Pair of stands</b> To set in concrete. For free-standing installation, 2 aluminium square tubes 40 x 40 mm, height 2400 mm	Art.-No.	41947	41947	41947	41947
<b>Stand frame I</b> To set in concrete. Extremely stable frame made from square Alu tube for free-standing installation in front of a display case	Art.-No.	47160	47161	47162	47163
<b>Stand frame II</b> To set in concrete. Version as above, but for free-standing installation of 2 display cases side by side.	Art.-No.	47170	47171	47172	47143
<b>Magnets</b> Ø 30 mm, 10 per set			Art.-No.	41929	



# Accessories

## GEROQUELL DRINKING FOUNTAIN

Always filtered, fresh spring water from the public drinking water supply for your sports club or your company.

- no more empty bottles
- no storage
- no more carrying of bottle crates
- high cost saving
- no problems with logistics



The GEROQUELL DRINKING FOUNTAIN has a stylish design and due to its easy-care GFK it is flexible for indoor and outdoor use. It is optionally available freestanding or with wall connection frame.

The GEROQUELL DRINKING FOUNTAIN provides fresh and tasty drinking water at any time, it makes the procurement and storage of bottled water superfluous, effectively protects the environment and it saves costs.

Inside is an activated carbon block filter of high quality, produced by the German manufacturer CARBONIT. This filter with its fine pores and channels is particularly suitable for the filtering of tap water. Reliably it removes possible chemical contamination like chlorine, lead, copper, drug residues, pesticide residues and microorganisms and thus improves the smell and taste of the water sustainably. The effectiveness of the filter is approved by renowned institutes and the (German) TÜV. Dissolved minerals are preserved and the water is perfectly safe to drink. A timely filter replacement should be noted.

The GEROQUELL DRINKING FOUNTAIN is delivered in standard version in white. The delivery scope contains: high-grade valve, flat perforated waste, water filter ( filter housing and filter cartridge ), water meter and lockable inspection door. Condition for the installation is a suitable connection for fresh and waste water.

### Technical properties for the filter CARBONIT IFP PURO:

Water flow\*: max. 7 l / min.  
Capacity: 5.000 l = ca. 28 l / per day  
Filter change: after 5.000 l flow or at the latest after 6 months  
Operating pressure: max. 6 bar  
Operating temperature: 5° - 40°

\*) Approximate water flow of a new filter element per minute about 4 bar line pressure.

## GEROQUELL DRINKING FOUNTAIN

No. 88000

Filter Cartridge Spare

No. 88002



# Court Dimensions


## Dimensions of large sports fields in accordance with DIN 18035, Part 1

Type of sport	Field size				safety zone		usable sports area	
	in acc. with competition rules		standard size		sides	ends	total size	
	width m	length m	width m	length m	each m	each m	width m	length m
Field handball	55 bis 65	99 bis 110	60	90	1	2	62	94
Field hockey	55	91,40	55	91,40	2	4	59	99,40
Soccer	45 bis 90	90 bis 120	68	105	1	2	70	109
Basketball	30 bis 40	75 bis 90	35	80	1	2	37	84
Rugby	68,40	100	68,40	100	2	12 to 23	72,40	124 to 146

## Dimensions of small sports fields in accordance with DIN 18035, Part 1


Type of sport	Field size				safety zone		usable sports area	
	in acc. with competition rules		standard size		sides	ends	total size	
	width m	length m	width m	length m	each m	each m	width m	length m
Badminton	6,10	13,40	6,10	13,40	1,25	1,25	8,60	15,90
Basketball	13 to 15	24 to 28	14 <sup>1)</sup>	26 <sup>1)</sup>	1	1	16	28
Fistball	20	50	20	50	6	8	32	66
Small pitch handball	18 to 22	38 to 44	20	40	1	2	22	44
Small pitch hockey	18 to 22	38 to 44	20	40	1	2	22	44
Small pitch soccer	15 to 25	30 to 50	20	40	1	2	22	44
Basketball	25	60	25	60	1	2	27	64
Bounce ball	8	16	8	16	2	4	12	24
Quoits	5,50	12,20	5,50	12,20	3	3	11,50	18,20
Roller-skate hockey	15 to 20	30 to 40	20	40	–	–	20	40
Roller skating	20	40	20	40	–	–	20	40
Tennis	10,97	23,77	10,97	23,77	3,65	6,40	18,27	36,57
Volleyball	9	18	9	18	2	3	13	24

<sup>1)</sup> Measured from the inner edge of the line, further admissible measurements are 15 x 28 m and 13 x 24 m



### Small sports field, 22 x 44 m

divided up for various sports as follows:  
lengthways: handball, tennis  
widthways: volleyball (2 x)




### Small sports field, 27 x 45 m


divided up for various sports as follows:  
lengthways: handball, tennis, long jump  
widthways: basketball (2 x), volleyball, high jump

# Court Dimensions


## POST- AND NET DIMENSIONS




## COURT DIMENSIONS



## TOURNAMENT COURT DIMENSIONS



## ROW COURT DIMENSIONS



The diagram illustrates the standard dimensions and markings of a soccer field. Key features include:

- Field Dimensions:**
  - Length: 90–120 m (100–130 yd) for international play, 100–110 m (110–120 yd).
  - Width: 45–90 m (50–100 yd) for international play, 64–75 m (70–80 yd).
- Markings and Areas:**
  - Mittellinie (center line):** Divides the field into two halves.
  - Mittelpunkt (center point):** Located at the center of the field.
  - Mittel-/Anstoßkreis (center circle):** A circle with a radius of 9.15 m (10 yd) centered on the center point.
  - Strafraum (penalty area):** A rectangular area 16.5 m (18 yd) wide and 18.3 m (20 yd) deep.
  - Strafstoßmarke (Elfmeterpunkt) (penalty kick mark):** Located 11 m (12 yd) from the goal line.
  - Torraum (goal area):** A small rectangular area 5.50 m (6 yd) wide and 3.66 m (4 yd) deep.
  - Tor (goal):** Located at the end of the field.
  - Tornetz (goal net):** Attached to the goal.
  - Eck-Viertelkreis (corner arc):** A quarter-circle arc with a radius of 1 m (1 yd) at each corner.
  - Torlinie (goal line):** The line at the end of the field.
  - Seitenlinie (side line):** The line along the sides of the field.
- Dimensions from Goal Line:**
  - 1 m (1 yd) from the goal line to the corner arc.
  - 5.50 m (6 yd) from the goal line to the start of the penalty area.
  - 11 m (12 yd) from the goal line to the penalty kick mark.
  - 16.5 m (18 yd) from the goal line to the goal.